



Surface Aggregate Sample Specification

| SIEVE | | |
|-------------------------|----------|----------|
| 1" (25.0 mm) | 100** | |
| 3/4" (19.0 mm) | | 100^ |
| No. 4 (4.75 mm) | 45-70 | 50-78 |
| No. 8 (2.36 mm) | 27-55 | 37-67 |
| No. 40 (424 μm) | 10-28 | 13-35 |
| No. 200 (μm) | 3.0-12.0 | 8.0-15.0 |
| Liquid Limit Max | | |
| | 25 | 30 |
| Plasticity Index | | |
| | 3-10 | 8-15 |

Annual Moisture >20 inches** <20 inches^