



Vertical & Horizontal Tanks • Tank Trailers • Spray Equipment  
Refueling Equipment • Fire Equipment



DESIGNED BETTER. BUILT STRONGER. LASTS LONGER.



# THIS IS ENDURAPLAS



## Superior Liquid Management Equipment

At Enduraplas we specialize in manufacturing products that help you manage your liquid better. Our large range of liquid storage tanks, tank trailers, spray equipment and water storage solutions are built to last much longer than the industry norm. Using decades of development and research, exceptional design, experience and a relentless passion to innovate, we've made products with your application in mind. Simply put: We know what works.



## Built in America. Built to Perform.

Enduraplas products are proudly built in the United States from premium components like quality polyethylene. This guarantees unmatched durability that has consistently outperformed. Since 2003 our liquid management tanks have been built with thicker walls and superior poly materials. Rigorously testing America's strongest tanks has ensured long-lasting durability. Engineered for Endurance® is not just a statement, it's a reality.

## NEW IN THIS EDITION

25 Gallon  
Spot Chief®  
See page 79



50 Gallon  
Land Champ®  
See page 75



# CONTENTS



6	Tanks & Trailers	■
50	Spray Equipment	■
90	Refueling Equipment	■
102	Fire Equipment	■

## Our Vision:

To be the trusted resource for superior liquid management equipment when and where you need it.



# ENDURAPLAS ADVANTAGE

ENGINEERED FOR ENDURANCE®


At Enduraplas the success of our products is measured not at one particular moment but at every step throughout the life of the product. To produce something exceptional means to be exceptional in all aspects from conception to creation to implementation and beyond.

The Enduraplas Advantage speaks to the quality and integrity that pervades every step of the product development process. At every phase of development, Enduraplas stands out from the competition. Our products are designed with a higher level of attention to engineered excellence. They are produced with higher quality parts and components. And they last longer in real world applications, where it matters most, which means less downtime, less money spent on repairs, and greater productivity. **We call it the Enduraplas Advantage.**


The message is simple but profound. An advantage isn't something that just happens, but rather it is something that is created through a higher attention to detail and a greater investment in value. Enduraplas Advantage begins with an idea and ends with a product that outperforms and outlasts the competition.



[ DESIGNED BETTER. ]



[ BUILT STRONGER. ]



[ LASTS LONGER. ]





# TRAINING

READ OR WATCH HELPFUL TIPS & HOW-TO'S



START LEARNING HERE

[www.LiquidStorageTraining.com](http://www.LiquidStorageTraining.com)  
[www.SprayingTraining.com](http://www.SprayingTraining.com)



# FLAT BOTTOM STORAGE TANKS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



Featured Image: 10,000 Gallon Flat Bottom Storage Tanks (THV10000)



# THV SERIES



Featured Image: 6,000 Gallon Flat Bottom Storage Tanks (THV06000)

## ENDURAPLAS ADVANTAGE

### STRONG-X™ ROOF DESIGN


The beefed-up roof structure with molded-in truss-like supports eliminates collapsing in extreme weather conditions.

### RIBBED-WALL™ STRUCTURE

The ribs act like belts around the tank keeping it in shape. This reduces bulging.

### THICK-WALL™ DESIGN

Extra-thick walls provide unmatched strength and durability.



### ANCHOR-POINT™ LUGS

Four hefty built-in lifting and tie-down points at each corner make it easy to handle.

### ROTO-MOLD CONSTRUCTION

When cooked and cooled at an even rate, the raw material is bonded together to make this tank virtually indestructible.

### SINGLE-PIECE™ CONSTRUCTION

Rotationally-molded in a single mold means the tank is seamless, water-tight and leak-proof.

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT




# THV SERIES SPECS - LARGE TANKS

	PRODUCT CODE	TANK SIZE (GAL.)	DIAMETER	HEIGHT	LID SIZE	FITTING SIZE	SPECIFIC GRAVITY	TIE DOWN POINTS	SIPHON TUBE INCLUDED	WARRANTY	COLORS**	MANUFACTURED IN*
	THV SERIES											
BEST SELLER	1	THV10000	10,400	144"	178"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black ND, TX
	2	THV08000	8,150	144"	142"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black ND, TX
	3	THV07011	7,011	144"	126"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black ND, TX
	4	THV06250	6,300	120"	147"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black TX
	5	THV06011	6,011	144"	110"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black ND, TX
	6	THV06000	6,500	110"	179"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black ND
	7	THV05050	5,050	120"	120"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black TX
	8	THV05200	5,200	100"	164"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black TX
BEST SELLER	9	THV05000	5,500	110"	150"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black ND

\*\*Yellow & White are available upon special request  
\*ND = North Dakota, TX = Texas

\*Warranty must be registered to receive 10 years. See page 111 for details.

Featured Image: 10,000 Gallon Flat Bottom Storage Tanks (THV10000)



"We are very pleased with the quality and stability. They are much stronger tanks then we see around here. We like the sight gauge. Very nice!"

Enduraplas THV05000  
Nathan - USA Northeast

# THV SERIES SPECS - SMALL TANKS

	PRODUCT CODE	TANK SIZE (GAL)	DIAMETER	HEIGHT	LID SIZE	FITTING SIZE	SPECIFIC GRAVITY	TIE DOWN POINTS	SIPHON TUBE INCLUDED	WARRANTY	COLORS**	MANUFACTURED IN*
	THV SERIES											
	10	THV04000	4,100	110"	124"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black ND
	11	THV03200	3,300	110"	103"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black ND
	12	THV03100	3,100	100"	103"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black TX
BEST SELLER	13	THV03000	3,126	90"	125"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black ND, TX
	14	THV02600	2,700	100"	92"	16"	2"	1.9	Yes	No	*10 Years	Green, Black TX
	15	THV02520	2,600	110"	86"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND
BEST SELLER	16	THV02500	2,680	90"	113"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND, TX
	17	THV02100	2,208	85"	100"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND, TX
	18	THV02020	2,100	110"	73"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND
	19	THV02000	2,276	90"	93"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND, TX
BEST SELLER	20	THV01750	2,009	85"	89"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND, TX
	21	THV01650	1,731	90"	75"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND, TX
BEST SELLER	22	THV01550	1,700	85"	80"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND, TX
	23	THV01400	1,450	80"	79"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND
	24	THV01350	1,530	85"	71"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND, TX
	25	THV01125	1,125	85"	56"	16"	2"	1.9	Yes	No	*10 Years	Green, Black TX
	26	THV01100	1,100	60"	97"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND, TX
	27	THV01000	1,125	80"	65"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND
	28	THV00870	870	60"	78"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND, TX
	29	THV00600	600	40"	120"	16"	2"	1.9	Yes	No	*10 Years	Green, Black TX
	30	THV00550	550	60"	52"	16"	2"	1.9	Yes	No	*10 Years	Green, Black ND, TX
	31	THV00340	340	40"	74"	16"	2"	1.9	Yes	No	*10 Years	Green, Black TX
	32	THV00210	210	40"	48"	16"	2"	1.9	Yes	No	*10 Years	Green, Black TX
	33	THV00200	200	30"	79"	8"	2"	1.9	Yes	No	*10 Years	Green, Black TX
	34	THV00150	150	30"	61"	8"	2"	1.9	Yes	No	*10 Years	Green, Black TX
	35	THV00100	100	30"	43"	8"	2"	1.9	Yes	No	*10 Years	Green, Black TX

\*\*Yellow & White are available upon special request  
\*ND = North Dakota, TX = Texas

\*Warranty must be registered to receive 10 years. See page 111 for details.



# THV SERIES



**BEST  
SELLER**

\*Manufactured in ND & TX

## THV10000

Capacity	10,400 Gallons
Dimensions	144"D x 178"H
Specs	Page 8, Row 1



**BEST  
SELLER**

\*Manufactured in ND

## THV05000

Capacity	5,500 Gallons
Dimensions	110"D x 150"H
Specs	Page 8, Row 9



**BEST  
SELLER**

\*Manufactured in ND & TX

## THV03000

Capacity	3,126 Gallons
Dimensions	90"D x 125"H
Specs	Page 9, Row 13



**BEST  
SELLER**

\*Manufactured in ND & TX

## THV02500

Capacity	2,680 Gallons
Dimensions	90"D x 113"H
Specs	Page 9, Row 16



**BEST  
SELLER**

\*Manufactured in ND & TX

## THV01750

Capacity	2,009 Gallons
Dimensions	85"D x 89"H
Specs	Page 9, Row 20



**BEST  
SELLER**

\*Manufactured in ND & TX

## THV01550

Capacity	1,700 Gallons
Dimensions	85"D x 80"H
Specs	Page 9, Row 22

Featured Image: 3,000 Gallon Flat Bottom Storage Tank (THV03000)







[YouTube.com/Enduraplas](https://www.youtube.com/Enduraplas)

ENDURAPLAS  
**VS**  
4,500 lb SUV



ENGINEERED FOR ENDURANCE®

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# CONE BOTTOM STORAGE TANKS



TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT

Featured Image: 5,000 Gallon Cone Bottom Storage Tanks (THC05000K)

# THC SERIES



Featured Image: 10,000 Gallon Cone Bottom Storage Tanks (THC10000K)

## ENDURAPLAS ADVANTAGE

### STRONG-X™ ROOF DESIGN


The beefed-up roof structure with molded-in truss-like supports eliminates collapsing in extreme weather conditions.

### ROTO-MOLD CONSTRUCTION

When cooked and cooled at an even rate, the raw material is bonded together to make this tank virtually indestructible.

### SINGLE-PIECE™ CONSTRUCTION

Rotationally-molded in a single mold means the tank is seamless, water-tight and leak-proof.



### ANCHOR-POINT™ LUGS

Four hefty built-in lifting and tie-down points at each corner make it easy to handle.

### RIBBED-WALL™ STRUCTURE

The ribs act like belts around the tank keeping it in shape. This reduces bulging.

### THICK-WALL™ DESIGN

Extra-thick walls provide unmatched strength and durability.

### AUTO-DRAIN™ CONE BASE

The 15° cone base channels every ounce of liquid to the drain. No more cleaning.

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# THC SERIES SPECS - LARGE TANKS

	PRODUCT CODE	TANK SIZE (GAL)	DIAMETER	HEIGHT	STAND INCLUDED	LID SIZE	FITTING SIZE	SPECIFIC GRAVITY	TIE DOWN POINTS	CONE SLOPE	WARRANTY	COLORS**	MANUFACTURED IN*
	THC SERIES												
BEST SELLER	1	THC10000K	10,400	144"	202"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	2	THC10000	10,400	144"	193"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	3	THC08000K	8,150	144"	166"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	4	THC08000	8,150	144"	158"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	5	THC07011K	7,011	144"	150"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	6	THC07011	7,011	144"	141"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	7	THC06011K	6,011	144"	134"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, ND, TX
	8	THC06011	6,011	144"	125"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	9	THC06000K	6,500	110"	204"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
	10	THC06000	6,500	110"	195"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
BEST SELLER	11	THC05000K	5,500	110"	175"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
	12	THC05000	5,500	110"	166"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND

\*\*Yellow & White are available upon special request  
\*ND = North Dakota, TX = Texas

\*Warranty must be registered to receive 10 years. See page 111 for details.



# THC SERIES SPECS - SMALL TANKS

	PRODUCT CODE	TANK SIZE (GAL)	DIAMETER	HEIGHT	STAND INCLUDED	LID SIZE	FITTING SIZE	SPECIFIC GRAVITY	TIE DOWN POINTS	CONE SLOPE	WARRANTY	COLORS**	MANUFACTURED IN*
	THC SERIES												
	13	THC04000K	4,100	110"	146"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
	14	THC04000	4,100	110"	135"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
	15	THC03200K	3,300	110"	126"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
	16	THC03200	3,300	110"	116"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
BEST SELLER	17	THC03000K	3,126	90"	146"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	18	THC03000	3,126	90"	136"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	19	THC02520K	2,600	110"	108"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
	20	THC02520	2,600	110"	99"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
BEST SELLER	21	THC02500K	2,680	90"	130"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	22	THC02500	2,680	90"	120"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	23	THC02000K	2,276	90"	123"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	24	THC02000	2,276	90"	113"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	25	THC01600K	1,700	90"	96"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	26	THC01600	1,700	90"	86"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
BEST SELLER	27	THC01550K	1,700	85"	95"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
	28	THC01550	1,700	85"	87"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
	29	THC01350K	1,530	85"	86"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
	30	THC01350	1,530	85"	75"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND
	31	THC01200K	1,250	90"	83"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	32	THC01200	1,250	90"	73"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	33	THC01100K	1,100	60"	113"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	34	THC01100	1,100	60"	103"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	35	THC00870K	870	60"	95"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	36	THC00870	870	60"	85"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	37	THC00550K	550	60"	69"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX
	38	THC00550	550	60"	59"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black ND, TX

\*\*Yellow & White are available upon special request  
\*ND = North Dakota, TX = Texas

\*Warranty must be registered to receive 10 years. See page 111 for details.



# THC SERIES



**BEST  
SELLER**

\*Manufactured in ND & TX

THC10000K	
Capacity	10,400 Gallons
Dimensions	144"D x 202"H
Specs	Page 14, Row 1



**BEST  
SELLER**

\*Manufactured in ND

THC05000K	
Capacity	5,500 Gallons
Dimensions	110"D x 175"H
Specs	Page 14, Row 11



**BEST  
SELLER**

\*Manufactured in ND & TX

THC03000K	
Capacity	3,126 Gallons
Dimensions	90"D x 146"H
Specs	Page 15, Row 17



**BEST  
SELLER**

\*Manufactured in ND & TX

THC02500K	
Capacity	2,680 Gallons
Dimensions	90"D x 130"H
Specs	Page 15, Row 21



**BEST  
SELLER**

\*Manufactured in ND

THC01550K	
Capacity	1,700 Gallons
Dimensions	85"D x 95"H
Specs	Page 15, Row 27

Actual cone stand structure may be different than pictured. Please request drawings if needed.

Featured Image: 5,000 Gallon Cone Bottom Storage Tanks (THC05000K)







"Very good product for the price.  
Started out buying two tanks and  
have since bought two more."

Enduraplas THV03000  
Matt- USA Midwest

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT

Featured Image: 10,000 Gallon Cone Bottom Storage Tanks (THC10000K)



# FREESTANDING TRANSPORT TANKS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



Featured Image: 3,000 Gallon Freestanding Transport Tanks (THF03000)

# THF SERIES



Featured Image: 4,500 Gallon Freestanding Transport Tanks (THF04500)

## ENDURAPLAS ADVANTAGE

### LIFTING-LUGS™

Built-in and engineered to take the \*weight of the tank, these make lifting the tank on and off the trailer a breeze.


\*Dry Weight Only

### PIN-MOUNT™ SYSTEM

The molded-in mounting lugs combined with heavy-duty steel pins will keep this tank fixed without movement. No hoops. No bands. No maintenance.

### THICK-WALL™ DESIGN

Extra-thick walls provide unmatched strength and durability.



### ANTI-SPLASH™ STAINLESS LID

Lockable and spill-proof, this lid keeps liquid in while traveling on rough terrain. (Only on tanks 1,600 gallons and larger).

### ROTO-MOLD CONSTRUCTION

When cooked and cooled at an even rate, the raw material is bonded together to make this tank virtually indestructible.

### SINGLE-PIECE™ CONSTRUCTION

Rotationally-molded in a single mold means the tank is seamless, water-tight and leak-proof.

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# THF SERIES SPECS - LARGE TANKS

		PRODUCT CODE	TANK SIZE (GAL)	LENGTH	WIDTH	HEIGHT	MOUNTING PINS INCLUDED	LID SIZE	LID TYPE	FITTING SIZE	SPECIFIC GRAVITY	WARRANTY	COLORS**	MANUFACTURED IN*
		THF SERIES												
BEST SELLER	1	THF04500	4,500	179"	95"	84"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black	ND
	2	THF03500	3,500	179"	95"	70"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black	ND
BEST SELLER	3	THF03200	3,200	145"	97"	79"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black	ND
	4	THF03000	3,000	130"	87"	90"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black	ND
	5	THF02800	2,800	145"	97"	75"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black	ND
BEST SELLER	6	THF02500	2,500	130"	87"	75"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black	ND

\*\*Yellow & White are available upon special request  
\*ND = North Dakota, TX = Texas

\*Warranty must be registered to receive 10 years. See page 111 for details.

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# THF SERIES SPECS - SMALL TANKS

	PRODUCT CODE	TANK SIZE (GAL)	LENGTH	WIDTH	HEIGHT	MOUNTING PINS INCLUDED	LID SIZE	LID TYPE	FITTING SIZE	SPECIFIC GRAVITY	WARRANTY	COLORS**	MANUFACTURED IN*
	THF SERIES												
7	THF02200	2,200	130"	71"	72"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black	ND
8	THF01900	1,900	130"	71"	65"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black	ND
9	THF01600	1,600	130"	71"	59"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black	ND
10	THF01400	1,400	102"	70"	66"	6 x AZP04	16"	Poly	2"	1.9	*10 Years	Green, Black	ND
11	THF01200	1,200	102"	70"	59"	6 x AZP04	16"	Poly	2"	1.9	*10 Years	Green, Black	ND
12	THF01000	1,100	94"	60"	63"	6 x AZP03	16"	Poly	2"	1.9	*10 Years	Green, Black	ND
13	THF00800	800	94"	60"	48"	6 x AZP03	16"	Poly	2"	1.9	*10 Years	Green, Black	ND
14	THF00500	550	80"	57"	40"	6 x AZP03	16"	Poly	2"	1.9	*10 Years	Green, Black	ND
15	THF00400	400	74"	46"	37"	4 x AZP02	16"	Poly	2"	1.9	*10 Years	Green, Black	ND
16	THF00300	340	74"	46"	31"	4 x AZP02	16"	Poly	2"	1.9	*10 Years	Green, Black	ND
17	THF00250	260	55"	47"	34"	4 x AZP01	16"	Poly	2"	1.9	*10 Years	Green, Black	ND
18	THF00200	200	55"	47"	27"	4 x AZP01	16"	Poly	2"	1.9	*10 Years	Green, Black	ND
19	THF00150	160	46"	41"	28"	4 x AZP01	8"	Poly	2"	1.9	*10 Years	Green, Black	ND
20	THF00100	110	46"	41"	21"	4 x AZP01	8"	Poly	2"	1.9	*10 Years	Green, Black	ND

\*\*Yellow & White are available upon special request  
\*ND = North Dakota, TX = Texas

\*Warranty must be registered to receive 10 years. See page 111 for details.





# THF SERIES

**BEST  
SELLER**



\*Mounting Pins Included = 8 x AZP04

## THF04500

Capacity	4,500 Gallons
Dimensions	179"L x 95"W x 84"H
Specs	Page 20, Row 1

\*Manufactured in ND

**BEST  
SELLER**



\*Mounting Pins Included = 8 x AZP04

## THF03200

Capacity	3,200 Gallons
Dimensions	145"L x 97"W x 79"H
Specs	Page 20, Row 3

\*Manufactured in ND

**BEST  
SELLER**



\*Mounting Pins Included = 8 x AZP04

## THF02500

Capacity	2,500 Gallons
Dimensions	130"L x 87"W x 75"H
Specs	Page 20, Row 6

\*Manufactured in ND

**BEST  
SELLER**



\*Mounting Pins Included = 8 x AZP04

## THF01600

Capacity	1,600 Gallons
Dimensions	130"L x 71"W x 59"H
Specs	Page 21, Row 9

\*Manufactured in ND

Featured Image: 3,000 Gallon Freestanding Transport Tanks (THF03000)








[YouTube.com/Enduraplas](https://www.youtube.com/Enduraplas)

ENDURAPLAS  
**VS**  
30 TON CRANE



TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT

ENGINEERED FOR ENDURANCE®



# SUMP BOTTOM TRANSPORT TANKS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



Featured Image: (100% drain-out) 3,200 Gallon Sump Bottom Transport Tank (THD03200K)

# THD SERIES



Featured Image: (100% drain-out) 3,200 Gallon Sump Bottom Transport Tank (THD03200K)



## LIFTING-LUGS™

Built-in and engineered to take the \*weight of the tank, these make lifting the tank on and off the trailer a breeze.


\*Dry Weight Only

## THICK-WALL™ DESIGN

Extra-thick walls provide unmatched strength and durability.

## PIN-MOUNT™ SYSTEM

The molded-in mounting lugs combined with heavy-duty steel pins will keep this tank fixed without movement. No hoops. No bands. No maintenance.



## ANTI-SPLASH™ STAINLESS LID

Lockable and spill-proof, this lid keeps liquid in while traveling on rough terrain. (Only on tanks 1,600 gallons and larger).

## SINGLE-PIECE™ CONSTRUCTION

Rotationally-molded in a single mold means the tank is seamless, water-tight and leak-proof.

## AUTO-DRAIN™ SUMP BASE

The sloped tank base channels every ounce of liquid to the drain. Just where it should go.

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# THD SERIES SPECS - LARGE TANKS

		PRODUCT CODE	TANK SIZE (GAL)	LENGTH	WIDTH	HEIGHT	MOUNTING PINS REQUIRED	FRAME INCLUDED	LID SIZE	LID TYPE	SPECIFIC GRAVITY	WARRANTY	COLORS**	MANUFACTURED IN*
		THD SERIES												
BEST SELLER	1	THD03200K	3,200	145"	97"	84"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
	2	THD03200	3,200	145"	97"	83"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
	3	THD03000K	3,000	130"	87"	94"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
	4	THD03000	3,000	130"	87"	93"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
	5	THD02800K	2,800	145"	97"	76"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
	6	THD02800	2,800	145"	97"	75"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
BEST SELLER	7	THD02500K	2,500	130"	87"	78"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
	8	THD02500	2,500	130"	87"	77"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND

\*\*Yellow & White are available upon special request  
\*ND = North Dakota, TX = Texas

\*Warranty must be registered to receive 10 years. See page 111 for details.

## TANK WEDGES



- Can only be used with THD3200 and THD2800
- Reduces the height of the tank and means you won't need a frame.

## AZSW0001

THD2800	8 Needed
THD3200	8 Needed



# THD SERIES SPECS - SMALL TANKS

BEST  
SELLER

	PRODUCT CODE	TANK SIZE (GAL)	LENGTH	WIDTH	HEIGHT	MOUNTING PINS REQUIRED	FRAME INCLUDED	LID SIZE	LID TYPE	SPECIFIC GRAVITY	WARRANTY	COLORS**	MANUFACTURED IN*
	THD SERIES												
9	THD02200K	2,200	130"	71"	76"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
10	THD02200	2,200	130"	71"	75"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
11	THD01900K	1,900	130"	71"	70"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
12	THD01900	1,900	130"	71"	79"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
13	THD01600K	1,600	130"	71"	60"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
14	THD01600	1,600	130"	71"	59"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black	ND
15	THD01400K	1,400	102"	70"	71"	6 x AZP04 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black	ND
16	THD01400	1,400	102"	70"	70"	6 x AZP04	No	16"	Poly	1.9	*10 Years	Green, Black	ND
17	THD01200K	1,200	102"	70"	64"	6 x AZP04 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black	ND
18	THD01200	1,200	102"	70"	63"	6 x AZP04	No	16"	Poly	1.9	*10 Years	Green, Black	ND
19	THD01010K	1,010	130"	49"	59"	8 x AZP03 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black	TX
20	THD01010	1,010	130"	49"	58.5"	8 x AZP03	No	16"	Poly	1.9	*10 Years	Green, Black	TX
21	THD01000K	1,100	94"	60"	71"	6 x AZP03 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black	ND
22	THD01000	1,100	94"	60"	70"	6 x AZP03	No	16"	Poly	1.9	*10 Years	Green, Black	ND
23	THD00800K	800	94"	60"	56"	6 x AZP03 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black	ND
24	THD00800	800	94"	60"	55"	6 x AZP03	No	16"	Poly	1.9	*10 Years	Green, Black	ND
25	THD00500K	550	80"	57"	49"	6 x AZP03 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black	ND
26	THD00500	550	80"	57"	48"	6 x AZP03	No	16"	Poly	1.9	*10 Years	Green, Black	ND
27	THD00400K	400	74"	46"	45"	4 x AZP02 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black	ND
28	THD00400	400	74"	46"	42"	4 x AZP02	No	16"	Poly	1.9	*10 Years	Green, Black	ND
29	THD00300K	340	74"	46"	36"	4 x AZP02 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black	ND
30	THD00300	340	74"	46"	34"	4 x AZP02	No	16"	Poly	1.9	*10 Years	Green, Black	ND
31	THD00250K	260	55"	47"	38"	4 x AXP01 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black	ND
32	THD00250	260	55"	47"	37"	4 x AZP01	No	16"	Poly	1.9	*10 Years	Green, Black	ND
33	THD00200K	210	55"	47"	32"	4 x AXP01 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black	ND
34	THD00200	210	55"	47"	31"	4 x AZP01	No	16"	Poly	1.9	*10 Years	Green, Black	ND
35	THD00150K	160	46"	41"	34"	4 x AXP01 Included	Yes	8"	Poly	1.9	*10 Years	Green, Black	ND
36	THD00150	160	46"	41"	33"	4 x AZP01	No	8"	Poly	1.9	*10 Years	Green, Black	ND
37	THD00100K	110	46"	41"	28"	4 x AXP01 Included	Yes	8"	Poly	1.9	*10 Years	Green, Black	ND
38	THD00100	110	46"	41"	27"	4 x AZP01	No	8"	Poly	1.9	*10 Years	Green, Black	ND

\*\*Yellow & White are available upon special request  
\*ND = North Dakota, TX = Texas

\*Warranty must be registered to receive 10 years. See page 111 for details.

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# THD SERIES

**BEST  
SELLER**



\*Mounting Pins Included = 8 x AZP04

## THD03200K

Capacity	3,200 Gallons
Dimensions	145"L x 97"W x 84"H
Specs	Page 26, Row 1

\*Manufactured in ND

**BEST  
SELLER**



\*Mounting Pins Included = 8 x AZP04

## THD02500K

Capacity	2,500 Gallons
Dimensions	130"L x 87"W x 78"H
Specs	Page 26, Row 7

\*Manufactured in ND

**BEST  
SELLER**



\*Mounting Pins Included = 8 x AZP04

## THD01600K

Capacity	1,600 Gallons
Dimensions	130"L x 71"W x 60"H
Specs	Page 27, Row 13

\*Manufactured in ND



\*Mounting Pins Included = 8 x AZP03

## THD01010K

Capacity	1,010 Gallons
Dimensions	130"L x 49"W x 59"H
Specs	Page 27, Row 19

\*Manufactured in TX

Featured Image: 3,000 Gallon Sump Bottom Transport Tank (THD03000K)





	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (HEIGHT)	DIMENSIONS (TOP WIDTH)	DIMENSIONS (BOTTOM WIDTH)	FITTING SIZE	LID SIZE	SPECIFIC GRAVITY	WARRANTY	COLORS
	PICKUP KING™									
1	TLV00275	275	29"	60"	48"	2"	16"	1.1	*10 Years	White
2	TLV00400	400	40"	60"	48"	2"	16"	1.1	*10 Years	White

\*Warranty must be registered to receive 10 years. See page 111 for details.



## Perfect shape for your pickup

Integrated wheel well design to reduce tank movement.



## Superior structure for extra durability

The STRONG-X™ roof design and RIBBED-WALL™ design eliminates cracks in transit.



## Built-in tie down points

Each tank comes standard with 4 tie down points to safely secure your load.



## Extra tough ribbed wall design

The ribs act like belts around the tank keeping it in shape. This reduces bulging.



TLV00275		TLV00400	
Capacity	275 Gallons	Capacity	400 Gallons
Dimensions	29"H	Dimensions	40"H
Specs	Page 29, Row 1	Specs	Page 29, Row 2



# ALL ENGINEERED FROM



Available from  
one manufacturer.

## AG SERIES NURSE TRAILERS



## DOT SERIES NURSE TRAILERS



The AG Series nurse trailers are a perfect economic, cost effective option for transporting liquid around your farm or ranch. These were designed to meet the high demand of a basic trailer that needs to be tough, durable and above all, reliable. These trailers are built with premium brand components at an affordable price.

These DOT approved and HWY ready nurse trailers come with every feature you'll need to get the job done quicker. On this trailer, we only use the highest quality tanks, pumps and plumbing accessories. While these were designed to meet the expectations of the customer, we still included some extra features that exceed the basic requests we received.

# CUSTOMER FEEDBACK



**Sold & serviced by  
your local dealer.**



## DOUBLE & TRIPLE CONE BOTTOM TRAILERS



The cone bottom trailer range has simply been engineered from feedback we have received from real farmers that rely on this product every season. Every cone trailer comes with features like the unique jacking system and 100% drain plumbing design. These trailers are a perfect portable bulk storage solution that allows you to move your liquid where you need it.

## TENDER TANK TRAILERS



These tender tank trailers are another masterpiece of our customers requests. Unlike other semi trailers on the market, the entire tank plumbing is now under the deck. This gives you more useful space on your trailer deck that you won't get anywhere else. These trailers are designed to perform better with premium products.

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# NURSE TRAILERS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



Featured Image: 1,200 Gallon DOT Series Nurse Trailer (WNI12FGOL4800)

# NURSE TRAILER SPECS

**BEST  
SELLER**

**BEST  
SELLER**

**BEST  
SELLER**

**BEST  
SELLER**

AG SERIES - PAGE 35

DOT SERIES - PAGE 37

	1	2	3	4	5	6	7	8	9	10
TANK SIZE (GAL)	500	1,100	1,200	1,600	500	800	1,010	1,100	1,200	1,600
DIMENSIONS (L X W X H)	134" x 77" x 74"	158" x 84" x 88"	175" x 96" x 85"	203" x 106" x 96"	134" x 78" x 74"	158" x 80" x 73"	195" x 73" x 78"	158" x 80" x 88"	175" x 92" x 85"	203" x 102" x 84"
DOT COMPLIANT	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
FRAME CONSTRUCTION	5" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	8" x 2" Rectangle Tubing	5" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	8" x 2" Rectangle Tubing
AXLE (S)	1 x 7,000 lbs. Slipper Spring	2 x 7,000 lbs. Slipper Spring	2 x 7,000 lbs. Slipper Spring	2 x 10,000 lbs. Slipper Spring	1 x 7,000 lbs. Slipper Spring	2 x 7,000 lbs. Slipper Spring	2 x 7,000 lbs. Slipper Spring	2 x 7,000 lbs. Slipper Spring	2 x 7,000 lbs. Slipper Spring	2 x 10,000 lbs. Slipper Spring
TIRES	235/80 R16 10 PLY HWY Tire on Ag Wheel	235/80 R16 10 PLY HWY Tire on Ag Wheel	235/80 R16 10 PLY HWY Tire on Ag Wheel	385/65 R22.5 18 PLY Super Single on Ag Wheel	235/80 R16 10 PLY DOT Tire & Wheel	235/80 R16 10 PLY DOT Tire & Wheel	235/80 R16 10 PLY DOT Tire & Wheel	235/80 R16 10 PLY DOT Tire & Wheel	235/80 R16 10 PLY DOT Tire & Wheel	235/75 R17.5 18 PLY DOT Tire & Wheel
BRAKES	No	No	No	Electric with emergency breakaway (1 x Axle)	Electric with emergency breakaway (2 x Axle)	Electric with emergency breakaway (2 x Axle)	Electric with emergency breakaway (2 x Axle)	Electric with emergency breakaway (2 x Axle)	Electric with emergency breakaway (2 x Axle)	Electric with emergency breakaway (2 x Axle)
FENDERS	No	No	No	No	Yes	Yes	Yes	Yes	Yes	Yes
LIGHTS	No	No	No	No	DOT compliant clearance/ stop/turn/ tail/license	DOT compliant clearance/ stop/turn/ tail/license	DOT compliant clearance/ stop/turn/ tail/license	DOT compliant clearance/ stop/turn/ tail/license	DOT compliant clearance/ stop/turn/ tail/license	DOT compliant clearance/ stop/turn/ tail/license
ELECTRICAL PLUG	No	No	No	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug
HITCH TYPE	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. 2 - 5/16" Ball	20,000 lbs. 2 - 5/16" Ball	20,000 lbs. 2 - 5/16" Ball	20,000 lbs. 2 - 5/16" Ball	20,000 lbs. 2 - 5/16" Ball	21,000 lbs. 2 - 5/16" Ball
TANK TYPE	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank
TANK COLOR	Green	Green	Green	Green	Green	Green	Green	Green	Green	Green
MOTOR	Briggs & Stratton® 6.5 HP	Briggs & Stratton® 6.5 HP	Briggs & Stratton® 6.5 HP	Briggs & Stratton® 6.5 HP	Honda® GX160 5.5 HP	Honda® GX160 5.5 HP	Honda® GX160 5.5 HP	Honda® GX160 5.5 HP	Honda® GX160 5.5 HP	Honda® GX160 5.5 HP
PUMP	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM
VALVE FITTINGS	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold
HOSE SIZE / TYPE	2" / Black Fertilizer	2" / Black Fertilizer	2" / Black Fertilizer	2" / Black Fertilizer	2" / Black Fertilizer	2" / Black Fertilizer	2" / Black Fertilizer	2" / Black Fertilizer	2" / Black Fertilizer	2" / Black Fertilizer
DISCHARGE HOSE LENGTH	15'	20'	20'	20'	15'	20'	20'	20'	20'	20'
DRY WEIGHT (LBS)	900	1,610	1,940	3,800	950	1,560	1,620	1,650	2,035	3,350

\*Manufactured in TX

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT





# AG SERIES



A perfect economic, cost effective option for transporting liquid around your farm or ranch. The Ag Series nurse trailer family has been designed to withstand rough treatment when work is getting done.

Featured Image (Above): 1,200 Gallon Ag Series Nurse Trailer (WNC12FGOR9801)



**Standard with a Briggs & Stratton® Engine**

Enjoy an affordable high quality pump and engine on every trailer.




**Keep your discharge hose safe**

All hoses are stored in a designated spot to avoid the possibility of them tangling.



**Superior design tube frame**

All Ag Series nurse trailers come equipped with an extra strong constructed frame.



**Completely drain your tank**

By utilizing the superior sump tank, you can drain your tank to the last drop.



**Site Gauge Kit**



**Recirculation Kit**



**2" Honda® & Side Fill Kit**



**4' Wood Deck Kit**



**30 Gallon Mixing Cone Kit**



**3" Honda® Kit**

**AVAILABLE ON 1,200 - 1,600 GALLON TRAILERS**



# AG SERIES



## 500 GALLONS

Capacity	500 Gallons
Dimensions	134"L x 77"W x 74"H
Specs	Page 33, Column 1



## 1,100 GALLONS

Capacity	1,100 Gallons
Dimensions	158"L x 84"W x 88"H
Specs	Page 33, Column 2



**BEST  
SELLER**

## 1,200 GALLONS

Capacity	1,200 Gallons
Dimensions	175"L x 96"W x 85"H
Specs	Page 33, Column 3



**BEST  
SELLER**

## 1,600 GALLONS

Capacity	1,600 Gallons
Dimensions	203"L x 106"W x 96"H
Specs	Page 33, Column 4

\*All 1,600 Gallon Ag Series Nurse Trailers are supplied with quality used tires.

Featured Image: 1,200 Gallon Ag Series Nurse Trailer



TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# DOT SERIES

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



The DOT series Nurse Trailer family allows you to transport liquid safely while legally driving on state roads. Each trailer is equipped with a Honda® engine and a DOT light kit.

Featured Image (Above): 1,200 Gallon DOT Series Nurse Trailer (WN112FGOL4800)



## Sturdy Pin Mount™ Securing System

The Enduraplas exclusive Pin Mount™ System is proven and hassle free.



## Honda® engine and Banjo® pump

A high quality engine gives you the confidence to use your trailer all year round.



## A complete DOT approved package

All DOT Series trailers come with lights, brakes & fenders that comply with DOT standards



## Fitted: discharge hose, side fill & recirculation kit

Easily fill your equipment with high quality hose and fittings.



## Site Gauge Kit



## 4' Wood Deck Kit




## 30 Gallon Mixing Cone Kit



AVAILABLE ON 1,200 - 1,600  
GALLON TRAILERS

## 3" Honda® Kit



## Deck Extension

92" Total Width (1200-1600 gallon trailers)  
82" Total Width (1000 gallon trailers)



## Fender Basket



# DOT SERIES



## 500 GALLONS

Capacity	550 Gallons
Dimensions	134"L x 78"W x 74"H
Specs	Page 33, Column 5



## 800 GALLONS

Capacity	800 Gallons
Dimensions	158"L x 80"W x 73"H
Specs	Page 33, Column 6



## 1,100 GALLONS

Capacity	1,100 Gallons
Dimensions	158"L x 80"W x 88"H
Specs	Page 33, Column 8



**BEST SELLER**

## 1,200 GALLONS

Capacity	1,200 Gallons
Dimensions	175"L x 92"W x 85"H
Specs	Page 33, Column 9



**BEST SELLER**

## 1,600 GALLONS

Capacity	1,600 Gallons
Dimensions	203"L x 102"W x 84"H
Specs	Page 33, Column 10



\*Manufactured in TX

\*Length dimensions are without deck

## 1,010 GALLONS

Capacity	1,010 Gallons
Dimensions	*195"L x 73"W x 78"H
Specs	Page 33, Column 7



## 1,200 GALLONS

Capacity	1,200 Gallons
Dimensions	175"L x 92"W x 85"H



# CONE BOTTOM TRAILERS



TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT

Featured Image: Double Cone 6,000 Gallon Trailer (WCDC60FGOL3801)

# CONE BOTTOM TRAILER SPECS

**BEST  
SELLER**

	5,000 GALLON DOUBLE CONE - PAGE 41		6,000 GALLON DOUBLE CONE - PAGE 41		9,000 GALLON TRIPLE CONE - PAGE 41	
	1	2	3	4	5	6
TANK SIZE (GAL)	2 x 2,500	2 x 2,500	2 x 3,000	2 x 3,000	3 x 3,000	3 x 3,000
DIMENSIONS (L X W X H)	21' x 100" x (Raised - 158" / Lowered - 146")	21' x 100" x (Raised - 158" / Lowered - 146")	21' x 100" x (Raised - 158" / Lowered - 146")	21' x 100" x (Raised - 158" / Lowered - 146")	29' x 100" x (Raised - 158" / Lowered - 146")	29' x 100" x (Raised - 158" / Lowered - 146")
FRAME CONSTRUCTION	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing
AXLE (S)	2 x 3,500 lbs. Spindle	2 x 3,500 lbs. Spindle	2 x 3,500 lbs. Spindle	2 x 3,500 lbs. Spindle	2 x 3,500 lbs. Spindle	2 x 3,500 lbs. Spindle
TIRES	235/80 R16 10 PLY, HWY Tire on Ag Wheel	235/80 R16 10 PLY, HWY Tire on Ag Wheel	235/80 R16 10 PLY, HWY Tire on Ag Wheel	235/80 R16 10 PLY, HWY Tire on Ag Wheel	235/80 R16 10 PLY, HWY Tire on Ag Wheel	235/80 R16 10 PLY, HWY Tire on Ag Wheel
LIGHTS	(Optional) DOT compliant clearance/stop/turn/tail	(Optional) DOT compliant clearance/stop/turn/tail	(Optional) DOT compliant clearance/stop/turn/tail	(Optional) DOT compliant clearance/stop/turn/tail	(Optional) DOT compliant clearance/stop/turn/tail	(Optional) DOT compliant clearance/stop/turn/tail
ELECTRICAL PLUG WITH LIGHT OPTION	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug
HITCH TYPE	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. Clevis
TANK TYPE	Poly cone bottom storage tank	Poly cone bottom storage tank	Poly cone bottom storage tank	Poly cone bottom storage tank	Poly cone bottom storage tank	Poly cone bottom storage tank
TANK COLOR	Green	Green	Green	Green	Green	Green
MOTOR	Honda® GX160 5.5 HP	Honda® GX200 6.5 HP	Honda® GX160 5.5 HP	Honda® GX200 6.5 HP	Honda® GX160 5.5 HP	Honda® GX200 6.5 HP
PUMP	2" Banjo® Centrifugal Poly, 195 GPM	3" Banjo® Centrifugal Poly, 293 GPM	2" Banjo® Centrifugal Poly, 195 GPM	3" Banjo® Centrifugal Poly, 293 GPM	2" Banjo® Centrifugal Poly, 195 GPM	3" Banjo® Centrifugal Poly, 293 GPM
VALVE FITTINGS	3" Feed 2" Discharge Banjo® sweep manifold	3" Feed 3" Discharge Banjo® sweep manifold	3" Feed 2" Discharge Banjo® sweep manifold	3" Feed 3" Discharge Banjo® sweep manifold	3" Feed 2" Discharge Banjo® sweep manifold	3" Feed 3" Discharge Banjo® sweep manifold
HOSE SIZE/TYPE	3" - 2" / Black Fertilizer	3" - 3" / Black Fertilizer	3" - 2" / Black Fertilizer	3" - 3" / Black Fertilizer	3" - 2" / Black Fertilizer	3" - 3" / Black Fertilizer
DRY WEIGHT (LBS)	2,600	2,620	2,800	2,820	4,070	4,090

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# CONE BOTTOM TRAILER



A perfect portable storage solution for someone that requires liquid in different spots at different times. With new design features, these cone trailers offer a range of user-friendly benefits.

Featured Image (Above): Double and Triple Cone Trailers



## Industry leading Ribbed Wall™ tank warranty

You can depend on each Ribbed Wall™ tank to work as hard as you do.



## Unique jacking system

Ergonomic jack height with center pull hydraulic ram.



## Heavy duty powder coated frame

Extra strong tube frame with built-in hose storage brackets.



## A Complete drainage system

Pump position allows you to fully drain all hoses

### OPTIONAL ACCESSORIES



Recirculation Kit



Sight Gauge Kit



DOT Lights Kit

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# CONE BOTTOM TRAILER



## 5000 DOUBLE CONE

Capacity	5,000 Gallons
Specs	Page 39, Column 1 & 2



**BEST  
SELLER**


## 6000 DOUBLE CONE

Capacity	6,000 Gallons
Specs	Page 39, Column 3 & 4



## 9000 TRIPLE CONE

Capacity	9,000 Gallons
Specs	Page 39, Column 5 & 6



TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT

# TENDER TANK TRAILERS

	42' TENDER TANK TRAILER - PAGE 43
TANK SIZE RANGE (GAL)	1,600 - 3,200
DIMENSIONS (L X W X H)	*42' x 102" x *(Top Deck - 65" / Bottom Deck - 41")
FRAME CONSTRUCTION	16" I-Beam
AXLE (S)	2 x 25,000 lbs. (ABS on 1 Axle)
TIRES	255/70 R22.5 - 16 PLY DOT Tire & Wheel
LIGHTS	DOT compliant clearance/stop/turn/tail/ABS
CAPACITY	60,000 GVWR
HITCH TYPE	5th Wheel Semi

	42' TENDER TANK TRAILER - PAGE 43
DECKING	Treated Wood, 2" x 8"
TANK TYPE	Poly Sump/Freestanding Transport Tank
TANK COLOR	Black
STANDARD MOTOR	Honda® GX160 6.5 HP
STANDARD PUMP	3" Banjo® Centrifugal Poly, 293 GPM
VALVE FITTINGS	3" Feed 3" Discharge Banjo® sweep manifold
HOSE SIZE/TYPE	3" / Black Fertilizer
WEIGHT (LBS) - TRAILER ONLY	11,900

\*42' Tender Tank Trailer Lengths (Top Deck = 12' | Bottom Deck = 30')

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT

Featured Image: 42' Tender Tank Trailer





# TENDER TANK TRAILER



## TENDER TANK TRAILER

Length	42'
Specs	Page 41, Column 1



Site Gauge Kit



All Plumbing Under the Deck



Tank Ladder



Flow Center



1,600 - 3,200 Gallon Tanks

Pull or Electric Start Engines / 2" or 3" Pump



# ACCESSORIES & PARTS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT




Featured Image: 45 Gallon Mixing Cone, 2" & 3" plumbing accessories and a Honda® Engine

# INTERNAL TANK BAFFLE



## Only 1% liquid displacement

The amount of water the baffle displaces is minimal.



## Sturdy mounting process

The baffle is mounted via the roof to keep it extra secure.




## Robust engineering and design

The middle planks connect to the vertical end support for added strength.



## Stops your truck 16.6% faster

The truck stopped 16.6% faster with the baffle, than without it.



AVB1010

Tank Size	1,010 Gallons
Tank Style	Horizontal



AVB2800

Tank Size	2,800 Gallons
Tank Style	Horizontal



AVB3200

Tank Size	3,200 Gallons
Tank Style	Horizontal

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# ACCESSORIES



	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (DIAMETER X HEIGHT)	LID SIZE	FITTING SIZE
--	--------------	-----------------	--------------------------------	----------	--------------

## MIXING CONES

1	THM030KWH01	30	20" x 45"	16"	2"
2	THM030AKWH01	30	24" x 42"	16"	2"
3	THM045KWH01	45	30" x 43"	16"	2"
4	THM060KWH01	60	30" x 45"	16"	2"



	PRODUCT CODE	COMPATIBLE TANKS (GALLONS)	MATERIAL
--	--------------	----------------------------	----------

## TANK LADDER

1	AZFTLH01	1,000, 1,200, 1,400, 1,600, 1,900, 2,200, 2,500, 2,800, 3,000, 3,200, 3,500, 4,500	Steel
2	AZFTLH01EXT	Extension Needed For - 3,000 & 4,500	Steel



# ACCESSORIES



	PRODUCT CODE	DIMENSIONS (L X W X H)	HOSE LENGTH	HOSE DIAMETER	WEIGHT (LBS)
	<b>ELECTRIC REEL</b>				
1	AHTSF002	29" x 31" x 27"	HOSE NOT INCLUDED	2" (Fits 60 feet)	150
2	AHTSF001	41" x 31" x 39"	HOSE NOT INCLUDED	3" (Fits 75 feet)	225



	PRODUCT CODE	DIAMETER	WEIGHT (LBS)	MATERIAL	AMOUNT NEEDED PER 100 GALLONS
	<b>BAFFLE BALLS</b>				
1	AVB195	7.5"	0.25	Poly	50
2	AVB355	14"	0.8	Poly	10



PUMP ENGINE COVER	
Product Code	AVPC01
Dimensions	20"L x 15"W x 17"H
Material	Poly



SIGHT GAUGE (THREADED)	
Product Code	ATG01
Size	3/4"
Fits on: All THF & THD Series Fits on: THV & THC (1,000 - 3,100)	



SIGHT GAUGE (BOLTED)	
Product Code	ATG03
Size	3/4"
Fits on: THV & THC (3,200 - 10,000)	

# PARTS



	PRODUCT CODE	MAX FLOW (GPM)	MAX PRESSURE (PSI)	MANUAL OR ELECTRIC START	MOTOR TYPE	PUMP TYPE	SEAL TYPE	HOSE CONNECTION SIZE
TRANSFER PUMPS								
1	CB200P6PRO	216	53	Manual	Briggs & Stratton® 6.5 HP	2" Banjo® Centrifugal Poly	EPDM	2" In/2" Out
2	CB200PH5	216	53	Manual	Honda® GX160 5.5 HP	2" Banjo® Centrifugal Poly	EPDM	2" In/2" Out
3	CB300PH6	293	35	Manual	Honda® GX200 6.5 HP	3" Banjo® Centrifugal Poly	EPDM	3" In/3" Out
4	CB222PIH5	205	43	Manual	Honda® GX160 5.5 HP	2" Banjo® Centrifugal Cast Iron	EPDM	2" In/2" Out



	PRODUCT CODE	DESCRIPTION
LIDS		
1	CFLS16HVCONVKIT	16" STAINLESS STEEL LID
2	CFLP16HV	16" HINGED - 3" VENTED LID
3	CA356060	16" HINGED, 2" VENTED LID
4	CA3511221	8" THREADED, VENTED LID
5	CVTL06	6" THREADED VENTED LID ONLY
6	CG839113021	4" THREADED VENTED LID ONLY



	PRODUCT CODE	DESCRIPTION
HOSE		
1	CLUPEB10009	2" REINFORCED FLEXIBLE SUCTION HOSE
2	CLUPEB08513	3" REINFORCED FLEXIBLE SUCTION HOSE
3	CLUESB020001	3/8" EPDM SPRAY HOSE 200 PSI
4	CLUESB020002	1/2" EPDM SPRAY HOSE 200 PSI
5	CLUESB020004	3/4" EPDM SPRAY HOSE 200 PSI
6	CLUVGC03504	3/4" CLEAR VINYL HOSE
7	CLUESB020005	1" EPDM SPRAY HOSE 200PSI

# PARTS



VALVES



FITTINGS



SIPHON TUBES



BOLTED FITTINGS



STAINLESS FITTINGS

To access our large range of parts and accessories, visit your local Enduraplas dealer or browse our website.



[www.enduraplasdealers.com](http://www.enduraplasdealers.com)



[www.enduraplas.com](http://www.enduraplas.com)

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# UTV SPRAYERS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



UTV SPRAYER PERFORMANCE					
PAGE	53	54	55	56	57
PERFORMANCE	Field Boss® 365	Field Boss® Xstream	Field Boss® EcoLite	12 Volt Gold Series	12 Volt Pro Series
Boom Spraying	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
Spot Spraying	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
High Pressure Spraying	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
Fire Control Spraying	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
Tree Spraying	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
High Volume Spraying	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■

Featured Image : 60 Gallon Field Boss® 365 with a 30' Steel Boom (SFB060FG225GH)

# UTV SPRAYER SPECS

		PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (L X W X H)	MOTOR	PUMP	FLOW RATE (GPM)	PSI	HOSE LENGTH	SPRAY DISTANCE VERTICAL	SPRAY DISTANCE HORIZONTAL	DRY WEIGHT (LBS)
		FIELD BOSS® 365 - PAGE 53										
BEST SELLER	1	SFB060FG225GH	60	48" x 38" x 23"	GX120 Honda / 4 HP	Centrifugal	22.5	50	50'	27'	35'	185
	2	SFB100FG225GH	100	48" x 45" x 27"	GX120 Honda / 4 HP	Centrifugal	22.5	50	50'	27'	35'	200
		FIELD BOSS® XSTREAM - PAGE 54										
BEST SELLER	3	SFB060FG290EX	60	48" x 38" x 23"	GX120 Honda / 4 HP	Diaphragm	5.8	290	100'	37'	45'	185
	4	SFB100FG290EX	100	48" x 45" x 27"	GX120 Honda / 4 HP	Diaphragm	5.8	290	100'	37'	45'	200
		FIELD BOSS® ECOLITE - PAGE 55										
BEST SELLER	5	SFB060FG712V	60	48" x 38" x 23"	12 Volt	Diaphragm	7	70	50'	27'	35'	180
	6	SFB100FG712V	100	48" x 45" x 27"	12 Volt	Diaphragm	7	70	50'	27'	35'	195
		GOLD SERIES - PAGE 56										
BEST SELLER	7	SS025FG212V	25	41" x 20" x 21"	12 Volt	Diaphragm	2	60	15'	27'	35'	65
	8	SS055FG212V	55	44" x 27" x 25"	12 Volt	Diaphragm	2	60	15'	27'	35'	85
	9	SS075FG212V	75	39" x 32" x 28"	12 Volt	Diaphragm	2	60	15'	27'	35'	115
	10	SS100FG212V	100	51" x 36" x 29"	12 Volt	Diaphragm	2	60	15'	27'	35'	125
		PRO SERIES - PAGE 57										
BEST SELLER	11	SSP025FG412V60	25	41" x 20" x 21"	12 Volt	Diaphragm	4	60	15'	27'	35'	75
	12	SSP055FG412V60	55	44" x 27" x 25"	12 Volt	Diaphragm	4	60	15'	27'	35'	95
	13	SSP075FG412V60	75	39" x 32" x 28"	12 Volt	Diaphragm	4	60	15'	27'	35'	125
	14	SSP100FG412V60	100	51" x 36" x 29"	12 Volt	Diaphragm	4	60	15'	27'	35'	135

\*Warranty must be registered to activate your 10 year tank warranty. See page 111 for details.

Featured Image: 100 Gallon Field Boss® Xstream with 12' Steel Boom (SFB100FG290EX)





# ACCESSORIES FOR FIELD BOSS®


## AGITATION KIT



- Easily add it to any Field Boss® sprayer
- Excellent for thoroughly mixing chemical - and keeping it mixed

ADD 'A' TO CODE

## SOLENOID KIT (IN-CAB CONTROLS)



- Ideal for crew cab UTV's
- Perfect for UTV's with an air conditioned or heated cab

ADD 'ES' TO CODE

Includes 3 x Solenoids, Control Box with Pressure Regulator & Wiring Harness



Monitor Spraying Pressure

Increase/Decrease Spraying Pressure

Master on/off Switch

Select Left, Right or Center Boom Section



## FRESH-WATER TANK WITH TAP



- Ideal for unexpected chemical spills
- Easily add it to any Field Boss® sprayer

FRESH WATER TANK

Product Code	ASFBFWKIT
Capacity	3 Gallons

EXAMPLES: SFB060FG290EX-A, SFB060FG290EX-ES, SFB060FG290EX-ESA

### **Instructions: How to add an Agitation Kit and/or Solenoid Kit to a Field Boss®**

To add an Agitation Kit, add '-A' to the end of any Field Boss® Code.

To add a Solenoid Kit, add '-ES' to the end of any Field Boss® Code.

To add an Agitation Kit and Solenoid Kit, add '-ESA' to the end of any Field Boss® Code.



# FIELD BOSS® 365



Poly Boom	Pg 82
Steel Boom	Pg 83
Boomless Nozzle	Pg 84
Versatile Boom	Pg 84



The Field Boss® 365 is designed to be used all year round. This UTV sprayer can be utilized for spraying in the spring summer and fall. In winter, it works perfect for a salt brine de-icing solution.

Featured Image (Above): 60 Gallon Field Boss® 365 with a 20' Steel Boom (SFB060FG225GH)

## PERFORMANCE

Boom Spraying



Spot Spraying



High Pressure Spraying



Fire Control Spraying



Tree Spraying



High Volume Spraying



New design 100%  
drain-able tank

Easily clean your tank to  
avoid mixing chemical when  
spraying.



Easily load and unload  
your sprayer

Each Field Boss® comes  
with integrated fork points  
for loading and unloading.



Control your boom  
from your seat

The spring loaded control  
arm allows you to mange  
your boom options.



BEST  
SELLER

SFB060FG225GH

Capacity	60 Gallons
Specs	Page 51, Row 1



SFB100FG225GH

Capacity	100 Gallons
Specs	Page 51, Row 2



# FIELD BOSS® XSTREAM



Poly Boom	Pg 82
Steel Boom	Pg 83
Boomless Nozzle	Pg 84
Versatile Boom	Pg 84

The Field Boss® Xstream didn't get it's name for nothing. With a high pressure pump, this UTV sprayer is perfect for spraying trees or other applications that don't require high flow.

Featured Image (Above): 60 Gallon Field Boss® Xstream (SFB060FG290EX)



## New automatic shut-off filter

You can now clean the filter at any time without having to empty the tank.



## Low profile tank for extra stability

Keep your liquid close to the ground to keep your center of gravity low.



## Heavy duty 100% poly hose reel

Easy to wind, this hose reel is constructed to withstand many years of rugged use.

## PERFORMANCE



BEST SELLER

SFB060FG290EX

Capacity	60 Gallons
Specs	Page 51, Row 3



SFB100FG290EX

Capacity	100 Gallons
Specs	Page 51, Row 4



# FIELD BOSS® ECOLITE



Poly Boom	Pg 82
Steel Boom	Pg 83
Boomless Nozzle	Pg 84
Versatile Boom	Pg 84



The Field Boss® EcoLite is a high performance UTV sprayer with a 12 volt electric pump. This model gives you the ability to turn your pump on and off directly from your seat.

Featured Image (Above): 60 Gallon Field Boss® EcoLite (SFB060FG712V)

## PERFORMANCE

Boom Spraying



Spot Spraying



High Pressure Spraying



Fire Control Spraying



Tree Spraying



High Volume Spraying



Control your pump from your seat

Switch your pump off when it is not in use to reduce wearing.



Attach any Enduraplas boom in minutes

If you have boom spraying in mind, we have a quick and easy solution.



12 volt pump performance

If you're looking for a quiet, efficient pump option, this is your answer.



BEST SELLER

SFB060FG712V

Capacity	60 Gallons
Specs	Page 51, Row 5



SFB100FG712V

Capacity	100 Gallons
Specs	Page 51, Row 6





# GOLD SERIES



Boomless Nozzle Pg 84

Hose Reel Pg 85

The 12 volt Gold Series sprayer family comes with a 2 GPM pump. Because of its user friendly features, this UTV sprayer has been popular for weed and spot spraying. Especially with an attached poly hose reel.

Featured Image (Above): 55 Gallon GOLD Series Sprayer with a 50' poly hose reel (SSR055FG212V)



## Easily add 100' of hose

Get to areas you can't drive with 100' of hose neatly stored on a poly hose reel.



## Completely drain your spraying chemical

With the built-in sump drain, be sure you don't mix your chemicals.



## Pump and regulator protected

The built-in pump cover ensures your components are safe.

## PERFORMANCE

Boom Spraying



Spot Spraying



High Pressure Spraying



Fire Control Spraying



Tree Spraying



High Volume Spraying



## OTHER SIZES

### SS025FG212V

Capacity	25 Gallons
Specs	Page 51, Row 7

### SS055FG212V

Capacity	55 Gallons
Specs	Page 51, Row 8

### SS075FG212V

Capacity	75 Gallons
Specs	Page 51, Row 9

### SS100FG212V

Capacity	100 Gallons
Specs	Page 51, Row 10

# PRO SERIES



Poly Boom\* Pg 83

Steel Boom\* Pg 84

Boomless Nozzle Pg 84

Versatile Boom\* Pg 84

Receiver Hitch Pg 84

Hose Reel Pg 85

\* Must have Receiver Hitch



The 12 volt Pro Series sprayers are among the most popular UTV sprayers. Our customers say this is because they come standard with a 4 GPM pump and a boomless nozzle for amazing acreage spraying.

Featured Image (Above): 55 Gallon PRO Series Sprayer (SSP055FG412V60)

## PERFORMANCE

Boom Spraying



Spot Spraying



High Pressure Spraying



Fire Control Spraying



Tree Spraying



High Volume Spraying



Control your spraying pressure

With a 3 way regulator and gauge, its time to control your sprayer from one spot.



Drain your chemicals to the last drop

Completely clean your tank to avoid mixing 2 different spraying chemicals.



30' boomless nozzle included

Make acreage spraying easy while being able to drive in rough terrain.

## OTHER SIZES

### SSP025FG412V60


Capacity	25 Gallons
Specs	Page 51, Row 11

### SSP075FG412V60

Capacity	75 Gallons
Specs	Page 51, Row 13

### SSP100FG412V60

Capacity	100 Gallons
Specs	Page 51, Row 14



### SSP055FG412V60

Capacity	55 Gallons
Specs	Page 51, Row 12





"I bought one Spring of 2017 for my spraying business. Used it a lot for large lawn spraying and spraying obnoxious weeds. No complaints. performs good and has paid for itself a few times already."

Enduraplas SFB060FG225GH  
Joe B. - USA Midwest

TANKS & TRAILERS


SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT







"I am blown away at the quality and finish of this product. With the Versatile boom and hand gun I can treat a multitude of elements in one visit without even getting out of the cab of my Kubota RTV."

Enduraplas SFB100FG290EX  
Brian - USA West



# PICKUP SPRAYERS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



PICKUP SPRAYER PERFORMANCE		
PAGE	62 - 64	65
PERFORMANCE	PRO MASTER® 580/580E/580E2	PRO MASTER® 725
Boom Spraying	■■■■■□	■■■□□□
Spot Spraying	■■■■■	■■■□□□
High Pressure Spraying	■■■■■□	■■■■■
Fire Control Spraying	■■■■□□	■■■■■□
Tree Spraying	■■■■■□	■■■■■
High Volume Spraying	■■■■■□	■■■□□□

Featured Image: 250 Gallon Pro Master® 580E (SPM250FG580E)

# PICKUP SPRAYER SPECS

	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (L X W X H)	MOTOR	PUMP	FLOW RATE (GPM)	PSI	HOSE REEL TYPE	HOSE LENGTH	SPRAY DISTANCE VERTICAL	SPRAY DISTANCE HORIZONTAL	DRY WEIGHT (LBS)	
	PRO MASTER® 580 - PAGE 62												
BEST SELLER	1	SPM200FG580	200	80" x 47" x 33"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	Manual	100'	42'	35'	458
	2	SPM250FG580	250	80" x 47" x 38"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	Manual	100'	42'	35'	473
	3	SPM300FG580	300	102" x 46" x 36"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	Manual	100'	42'	35'	586
	4	SPM400FG580	400	102" x 46" x 45"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	Manual	100'	42'	35'	616
	PRO MASTER® 580E - PAGE 63												
BEST SELLER	5	SPM100FG580E	100	48" x 45" x 38"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	Electric	300	42'	35'	325
	6	SPM200FG580E	200	80" x 47" x 38"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	Electric	300	42'	35'	583
	7	SPM250FG580E	250	80" x 47" x 38"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	Electric	300	42'	35'	598
	8	SPM300FG580E	300	102" x 46" x 38"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	Electric	300	42'	35'	711
	9	SPM400FG580E	400	102" x 46" x 45"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	Electric	300	42'	35'	741
	PRO MASTER® 580E2 - PAGE 64												
BEST SELLER	10	SPM200FG580E2	200	80" x 47" x 38"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	2 x Electric	300	42'	35'	708
	11	SPM250FG580E2	250	80" x 47" x 38"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	2 x Electric	300	42'	35'	723
	12	SPM300FG580E2	300	102" x 46" x 38"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	2 x Electric	300	42'	35'	836
	13	SPM400FG580E2	400	102" x 46" x 45"	GX200 Honda/6.5 HP	Diaphragm	9.6	580	2 x Electric	300	42'	35'	866
	PRO MASTER® 725 - PAGE 65												
BEST SELLER	14	SPM200FG725	200	80" x 47" x 33"	GX390 Honda/13 HP	Diaphragm	18	725	Manual	100'	50'	55'	458
	15	SPM250FG725	250	80" x 47" x 38"	GX390 Honda/13 HP	Diaphragm	18	725	Manual	100'	50'	55'	473
	16	SPM300FG725	300	102" x 46" x 36"	GX390 Honda/13 HP	Diaphragm	18	725	Manual	100'	50'	55'	586
	17	SPM400FG725	400	102" x 46" x 45"	GX390 Honda/13 HP	Diaphragm	18	725	Manual	100'	50'	55'	616

\*Warranty must be registered to activate your 10 year tank warranty. See page 111 for details.

## TRAILER UPGRADE KIT

FITS: All 200, 250, 300 & 400 Gallon Pro Master® Sprayers



ASSEMBLY REQUIRED

### WSAK01

Includes

Necessary framework, 2-5/16" ball hitch, safety chains, hand crank jack, axle, **fenders, lights**, tires & necessary hardware.

### WSAK02

Includes

Necessary framework, 2-5/16" ball hitch, safety chains, hand crank jack, axle, tires & necessary hardware.





# PRO MASTER® 580

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



The Pro Master® 580 is ideal for small and large landscape companies that are looking for a quicker and more cost effective way to maintain city sidewalks and landscape.

Featured Image (Above): 300 Gallon Pro Master® 580 (SPM300FG580)



**Load and unload much faster**

Built-in fork points make it easier to maneuver without being awkward.



**Trusty Honda® performance**

On the job, the last thing you want to break down is the engine.



**Keep your spray lines clean**


You can now clean your filter without having to empty the tank.



**100% poly, crack-free hose reel**

Easy to wind and extremely durable, this hose reel won't crack or bend.

## OTHER SIZES



### SPM250FG580

Capacity	250 Gallons
Specs	Page 61, Row 2

### SPM200FG580

Capacity	200 Gallons
Specs	Page 61, Row 1

### SPM300FG580

Capacity	300 Gallons
Specs	Page 61, Row 3

### SPM400FG580

Capacity	400 Gallons
Specs	Page 61, Row 4

# PRO MASTER® 580E



The Pro Master® 580E features a smart electric reel to help you wind and unwind faster than ever. Complete your spraying jobs in less time with this premium skid sprayer.

Featured Image (Above): 250 Gallon Pro Master® 580E (SPM250FG580E)

Purpose-built for a  
Utility Vehicle



Load and unload  
much faster

Built-in fork points  
make it easier to maneuver  
without being awkward.



User-friendly, time  
saving electric reel

Quickly rewind the hose  
back into position with the  
press of a button.



High performance  
pump

Driven by a Honda® engine,  
enjoy pressure and volume  
for a range of popular tasks.

## OTHER SIZES

### SPM100FG580E

Capacity	100 Gallons
Specs	Page 61, Row 5

### SPM200FG580E

Capacity	200 Gallons
Specs	Page 61, Row 6

### SPM300FG580E

Capacity	300 Gallons
Specs	Page 61, Row 8

### SPM400FG580E

Capacity	400 Gallons
Specs	Page 61, Row 9



**BEST  
SELLER**

### SPM250FG580E

Capacity	250 Gallons
Specs	Page 61, Row 7





# PRO MASTER® 580E2

The Pro Master® 580E2 features two smart electric reels to help you and your co-worker spray more easily and complete jobs faster.

Featured Image (Above): 250 Gallon Pro Master® 580E2 (SPM250FG580E2)



## 4 x Built-in tie down points

Secure the unit quickly and safely with purposed built tie down points.



## Load and unload much faster

Built-in fork points make it easier to maneuver without being awkward.



## User-friendly, time saving electric reel

Quickly rewind the hose back into position with the press of a button.



## Two Smart Electric Reels

You can now spray with your co-worker to complete jobs faster.

## OTHER SIZES



### SPM400FG580E2

Capacity	400 Gallons
Specs	Page 61, Row 13

### SPM250FG580E2

Capacity	250 Gallons
Specs	Page 61, Row 11

### SPM200FG580E2

Capacity	200 Gallons
Specs	Page 61, Row 10

### SPM300FG580E2

Capacity	300 Gallons
Specs	Page 61, Row 12

# PRO MASTER® 725

**BUILT IN  
USA**



With the most pressure and volume of the Pro Master® family, this skid sprayer is built with power. Perfect for spraying tall trees and shrubs, the Pro Master® 725 will allow you to reach new heights.

Featured Image (Above): 300 Gallon Pro Master® 725 (SPM300FG725)



**Load and unload  
much faster**

Built-in fork points make it easier to maneuver without being awkward.



**100% poly, crack-free  
hose reel**

Easy to wind and extremely durable, this hose reel won't crack or bend.



**Reach the top of tall  
trees**

With a high pressure mist/jet gun, taking care of trees is easy.



**4 x Built-in tie down  
points**

Secure the unit quickly and safely with purposed built tie down points.

## OTHER SIZES

### SPM200FG725

Capacity	200 Gallons
Specs	Page 61, Row 14

### SPM300FG725

Capacity	300 Gallons
Specs	Page 61, Row 16

### SPM400FG725

Capacity	400 Gallons
Specs	Page 61, Row 17



### SPM250FG725

Capacity	250 Gallons
Specs	Page 61, Row 15



# TOW BEHIND SPRAYERS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



TOW LYNX® SPRAYER PERFORMANCE			
PAGE	68	69	70
PERFORMANCE	TOW LYNX® 365	TOW LYNX® XSTREAM	TOW LYNX® ECOLITE
Boom Spraying	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
Spot Spraying	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
High Pressure Spraying	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
Fire Control Spraying	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
Tree Spraying	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■
High Volume Spraying	■ ■ ■ ■ ■	■ ■ ■ ■ ■	■ ■ ■ ■ ■

Featured Image: 55 Gallon Tow Lynx® Xstream (WA055FG290EX)

# TOW BEHIND SPRAYER SPECS

	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (L X W X H)	MOTOR	PUMP	FLOW RATE (GPM)	PSI	HITCH SIZE	TIRES	HOSE LENGTH	SPRAY DISTANCE VERTICAL	SPRAY DISTANCE HORIZONTAL	DRY WEIGHT (LBS)
	TOW LYNX® 365 - PAGE 68												
1	WA055FG225GH	55	80" x 51" x 38"	GX120 Honda/4 HP	Centrifugal	22.5	50	1 7/8" Ball	ATV	50'	27'	35'	220
2	WA075FG225GH	75	80" x 56" x 43"	GX120 Honda/4 HP	Centrifugal	22.5	50	1 7/8" Ball	ATV	50'	27'	35'	305
3	WA100FG225GH	100	91" x 60" x 40"	GX120 Honda/4 HP	Centrifugal	22.5	50	1 7/8" Ball	ATV	50'	27'	35'	325
	TOW LYNX® XSTREAM - PAGE 69												
4	WA055FG290EX	55	80" x 51" x 38"	GX120 Honda/4 HP	Diaphragm	5.8	290	1 7/8" Ball	ATV	100'	37'	45'	220
5	WA075FG290EX	75	80" x 56" x 43"	GX120 Honda/4 HP	Diaphragm	5.8	290	1 7/8" Ball	ATV	100'	37'	45'	305
6	WA100FG290EX	100	91" x 60" x 40"	GX120 Honda/4 HP	Diaphragm	5.8	290	1 7/8" Ball	ATV	100'	37'	45'	325
	TOW LYNX® ECOLITE - PAGE 70												
7	WA055FG412V	55	80" x 51" x 38"	12 Volt	Diaphragm	4	60	1 7/8" Ball	ATV	15'	27'	35'	215
8	WA075FG412V	75	80" x 56" x 43"	12 Volt	Diaphragm	4	60	1 7/8" Ball	ATV	15'	27'	35'	300
9	WA100FG412V	100	91" x 60" x 40"	12 Volt	Diaphragm	4	60	1 7/8" Ball	ATV	15'	27'	35'	320

\*Warranty must be registered to activate your 10 year tank warranty. See page 111 for details.

## SOLENOID KIT (IN-CAB CONTROLS)



- Ideal for crew cab UTV's and ATV's
- Perfect for UTV's with an air conditioned or heated cab

### ADD 'ES' TO CODE

Includes 3 x Solenoids, Control Box with Pressure Regulator & Wiring Harness



EXAMPLES: WA055FG225GH-ES

### Instructions: How to add a Solenoid Kit to a Tow Lynx®

To add a Solenoid Kit, add '-ES' to the end of any Tow Lynx® Code.





# TOW LYNX® 365



Poly Boom	Pg 82
Steel Boom	Pg 83
Boomless Nozzle	Pg 84
Versatile Boom	Pg 84

The Tow Lynx® 365 is built to undertake many applications of spraying. With a Honda® powered pump, this tow behind trailer sprayer is ideal for boomless spraying on rough terrain.

Featured Image (Above): 55 Gallon Tow Lynx® 365 with a 12' Steel Boom (WA055FG225GH)



Control your boom from your seat

Easy adjust your boom pressure and nozzle selection.



High flotation tires are a must


Easily tackle that rough terrain with confidence and stability.




Drain your chemicals to the last drop

Completely clean your tank to avoid mixing 2 different spraying chemicals.

## PERFORMANCE



## OTHER SIZES



BEST SELLER

WA100FG225GH

Capacity	100 Gallons
Specs	Page 67, Row 3

WA055FG225GH

Capacity	55 Gallons
Specs	Page 67, Row 1

WA075FG225GH

Capacity	75 Gallons
Specs	Page 67, Row 2

# TOW LYNX® XSTREAM



Poly Boom	Pg 82
Steel Boom	Pg 83
Boomless Nozzle	Pg 84
Versatile Boom	Pg 84



This Tow Lynx® model has the most power in the Tow Lynx® family. With a high pressure Honda® engine, you can be sure this trailer sprayer is built for hours of boom spraying.

Featured Image (Above): 55 Gallon Tow Lynx® Xstream with a 12' Steel Boom (WA055FG290EX)

## PERFORMANCE



Keep your hose neat and tidy

With the poly hose reel, you can be sure to keep your hose from getting tangled



Quick attach boom brackets

Easily attach suggested Enduraplas® boom attachments in minutes.



Atomizing spray gun for spraying patterns

Enjoy the experience of a range of spraying patterns from jet stream to mist.

## OTHER SIZES

### WA055FG290EX


Capacity	55 Gallons
Specs	Page 67, Row 4

### WA075FG290EX

Capacity	75 Gallons
Specs	Page 67, Row 5

### WA100FG290EX

Capacity	100 Gallons
Specs	Page 67, Row 6







# TOW LYNX® ECOLITE

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



Poly Boom	Pg 82
Steel Boom	Pg 83
Boomless Nozzle	Pg 84
Versatile Boom	Pg 84
Hose Reel	Pg 85

The Tow Lynx® EcoLite sprayer wipes away the burden of making your farm or ranch look neat. If your looking for a quiet, environment friendly sprayer, this is your best option.

Featured Image (Above): 55 Gallon Tow Lynx® EcoLite with a Versatile Boom (WA055FG412V)




**All pump components are protected**

With the built in pump cover, your pump and regulator will last longer.



**Quick attach boom brackets**

Easily attach suggested Enduraplas® boom attachments in minutes.




**Keep your hose from tangling**

With the hose rack, your hose keeps from getting tangled in your wheels.

## PERFORMANCE



## OTHER SIZES



**BEST SELLER**

### WA055FG412V

Capacity	55 Gallons
Specs	Page 67, Row 7

### WA075FG412V

Capacity	75 Gallons
Specs	Page 67, Row 8

### WA100FG412V

Capacity	100 Gallons
Specs	Page 67, Row 9





"Simple but STURDY construction. Exactly what I was looking for to use on my property. Very pleased. The ATV tires on sprayer are a big plus when using in pasture."

Enduraplas WA055FG412V  
Bruce - USA Midwest



TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# TRACTOR SPRAYERS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



Featured Image: 100 Gallon Land Champ® with a 20' Steel Boom (SLC100FG8GR)

# TRACTOR SPRAYERS

	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (L X W X H)	MOTOR	PUMP	FLOW RATE (GPM)	PSI	HOSE LENGTH	SPRAY DISTANCE VERTICAL	SPRAY DISTANCE HORIZONTAL	DRY WEIGHT (LBS)
LAND CHAMP® - PAGE 75											
1	SLC050FG8GR	50	21" x 44" x 43"	PTO	6 Roller	8	300	15'	27'	35'	160
<b>BEST SELLER</b>	2	SLC100FG8GR	100	27" x 44" x 48"	PTO	6 Roller	8	300	15'	27'	230
3	SLC200FG8GR	200	36" x 48" x 52"	PTO	6 Roller	8	300	15'	27'	35'	290
4	SLC050FG8GRS	50	21" x 44" x 43"	PTO	Stainless Steel 6 Roller	8	300	15'	27'	35'	160
5	SLC100FG8GRS	100	27" x 44" x 48"	PTO	Stainless Steel 6 Roller	8	300	15'	27'	35'	230
6	SLC200FG8GRS	200	36" x 48" x 52"	PTO	Stainless Steel 6 Roller	8	300	15'	27'	35'	290

\*Warranty must be registered to activate your 10 year tank warranty. See page 111 for details.

Featured Image: 50 Gallon Land Champ® (SLC050FG8GR)



"Well worth the money. Nothing I've seen compares. Easy to use and love being able to flush the system out in the field."

Enduraplas SLC100FG8GR  
Travis - USA Southwest





# ACCESSORIES FOR LAND CHAMP®


## STORAGE STAND



- Easily add it to any Land Champ® sprayer
- Store and maintain your sprayer while not in-use.

AZKF0013KIT

## SOLENOID KIT (IN-CAB CONTROLS)



- Ideal for crew cab Tractors
- Perfect for Tractors with an air conditioned or heated cabs

ADD 'ES' TO CODE

Includes	3 x Solenoids, Control Box with Pressure Regulator & Wiring Harness
----------	---

## HOSE REEL



- Adds 100' of hose to reach further.
- Easy to wind, this hose reel is constructed to withstand many years of rugged use.

ADD '01' TO CODE

Includes	100' of 3/8" hose on a poly hose reel
----------	---------------------------------------

## FRESH-WATER TANK WITH TAP



- Easily add it to any Land Champ® sprayer
- Ideal for unexpected chemical spills

ASFBFWKIT

Includes	3 gallon fresh water tank with a fitted tap
----------	---

EXAMPLES: SLC100FG8GR-ES

**Instructions: How to add a Solenoid Kit to a Land Champ®**

To add a Solenoid Kit, add '-ES' to the end of any Land Champ® Code.

# LAND CHAMP®



Poly Boom	Pg 82
Steel Boom	Pg 83
Boomless Nozzle	Pg 84
Versatile Boom	Pg 84
Hose Reel	Pg 85



The new Land Champ® 3pt hitch sprayer has set a new standard with tractor spraying. While we included extra user friendly features, we also thought about your safety by engineering a counter balance tank.

Featured Image (Above): 200 Gallon Land Champ® with 30' Steel Boom (SLC200FG8GR)

## PERFORMANCE

Boom Spraying



Spot Spraying



High Pressure Spraying



Fire Control Spraying



Tree Spraying



High Volume Spraying



Control it directly from your seat

Easily monitor and change your boom spraying pressure.



Easily move your sprayer


Each Land Champ® comes with integrated fork points for your convenience



Perfectly weighted tank design

This tank sits close to your seat to be sure the weight is near your rear wheels.

**NEW**



SLC050FG8GR

Capacity	50 Gallons
Specs	Page 73, Row 1



**BEST SELLER**

SLC100FG8GR

Capacity	100 Gallons
Specs	Page 73, Row 2



SLC200FG8GR

Capacity	200 Gallons
Specs	Page 73, Row 3



# ATV SPRAYERS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



ATV SPRAYER PERFORMANCE			
PAGE	77	77	79
PERFORMANCE	GOLD SERIES	PRO SERIES	SPOT CHIEF
Boom Spraying	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div></div>
Spot Spraying	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div></div>
High Pressure Spraying	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div></div>
Fire Control Spraying	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div></div>
Tree Spraying	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div></div>
High Volume Spraying	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div></div>	<div><div></div><div></div><div></div><div></div><div></div></div>

Featured Image: 25 Gallon PRO Series ATV Sprayer (SAP025412V)

# ATV SPRAYER



	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (L X W X H)	INCLUDES BOOMLESS NOZZLE	MOTOR	PUMP	FLOW RATE (GPM)	PSI	HOSE LENGTH	SPRAY DISTANCE VERTICAL	SPRAY DISTANCE HORIZONTAL	DRY WEIGHT (LBS)
GOLD SERIES - PAGE 77												
1	SA025212V	25	30" x 40" x 16"	No	12 Volt	Diaphragm	2	60	15'	27'	35'	39
PRO SERIES - PAGE 77												
2	SAP025412V	25	30" x 40" x 16"	Yes	12 Volt	Diaphragm	4	60	15'	27'	35'	50
SPOT CHIEF - PAGE 79												
3	SSC025212V	25	18" x 39" x 16"	No	12 Volt	Diaphragm	2	60	25'	27'	35'	26

BEST SELLER

\*Warranty must be registered to activate your 10 year tank warranty. See page 111 for details.

## PERFORMANCE

Boom Spraying



Spot Spraying



High Pressure Spraying



Fire Control Spraying



Tree Spraying



High Volume Spraying



Fits perfect on most  
ATVs

Utilize your ATV while  
spraying in a wide range of  
applications.



Pro Series comes with  
a boomless nozzle

Spray up to 30' in rough  
terrain you can only get to  
in your ATV.



Boomless Nozzle

Pg 84




SA025212V

Capacity

25 Gallons

Specs

Page 77, Row 1



SAP025412V

Capacity

25 Gallons

Specs

Page 77, Row 2

BEST SELLER





# SPOT CHIEF®

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



Featured Image: 25 Gallon Spot Chief® (SSC025212V)

## ENDURAPLAS ADVANTAGE

### CHEMICAL JUG-HOLDER

A convenient place to sit your chemical jug or tools while filling the tank.

### FAST-WRAP™ HOSE HOLDER

Mount the hose holders on the front or back of this sprayer and stow away the spray gun for travel.

### DRAIN-CHANNEL™ SYSTEM

When slightly tilted, this tank is designed to drain every ounce of spray chemical to handle.

### EASY-LIFT™ HANDLES

Molded-in, solid handle grips make loading and unloading this unit effortless.

### LIGHT-BLOCK™ TECHNOLOGY

Algae needs light to grow. This algae-resistant material keeps the sunlight out and the spray liquid pure.

### ANCHOR-POINT™ STRAP GROOVES

Heavy-duty, never-fail strap grooves are built-in on both sides. This makes tying down this unit quick and hassle-free.

### SOLID-WALL™ TANK CONSTRUCTION

With thick side-walls, this workhorse is high-impact-resistant and virtually indestructible. No sprayer is tougher.



# SPOT CHIEF®



Poly Boom\* Pg 82

Steel Boom\* Pg 83

Boomless Nozzle Pg 84

Versatile Boom\* Pg 84

\* Must have Receiver Hitch



The unit has been engineered to last longer than any other spot sprayer in the industry. While its over-built tank blocks out sunlight to stop algae growth, it's operator-friendly features make spraying a breeze.

Featured Image (Above): 25 Gallon Spot Chief® (SSC025212V)

## PERFORMANCE

Boom Spraying



Spot Spraying



High Pressure Spraying



Fire Control Spraying



Tree Spraying



High Volume Spraying



### No tank will last longer

This unit is roto-molded to make the tank virtually indestructible.



### Easily load and unload

Each Spot Chief® comes with Molded-in handle grips.



### The pump is protected

Recessed into the tank, this cracked minimizes fittings and unexpected damages.

**NEW**



SSC025212V

Capacity	25 Gallons
Specs	Page 77, Row 3




# ATTACHMENTS & ACCESSORIES

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



"The ease of use of this boom surpasses all others that I have found. From the sturdiness and the spring back motion, it's the best!"

Enduraplas ASBS12SS  
Curt - USA Midwest

Featured Image: 30' Boomless Nozzle Kit (ASBB30P) & 13' Poly Boom (ASBP13GY)

# ATTACHMENT SPECS

	PRODUCT CODE	BOOM WIDTH UNFOLDED	BOOM WIDTH FOLDED	SPRAY COVERAGE	NUMBER OF NOZZLES	NOZZLE SPACING	**MINIMUM PUMP REQUIREMENT	MAX PUMP PRESSURE	BOOM TYPE	ROUND-UP® READY	WEIGHT (LBS)	
	POLY BOOM - PAGE 82											
BEST SELLER	1	ASBP13GY	13'	44"	13'	8	20"	2 GPM	60 PSI	Polyethylene	Yes	40
	STEEL BOOM - PAGE 83											
BEST SELLER	2	ASBS12SS	12'	51"	13'	8	20"	2 GPM	60 PSI	Galvanized Steel	Yes	27
BEST SELLER	3	ASBS20SS	20'	84"	20'	12	20"	4 GPM	60 PSI	Galvanized Steel	Yes	85
	STEEL BOOM EXTENSION KITS- PAGE 83											
	4	*ASBS26XKIT	26'	84"	26'	16	20"	5 GPM	60 PSI	Galvanized Steel	Yes	95
	5	*ASBS30XKIT	30'	84"	30'	18	20"	7 GPM	60 PSI	Galvanized Steel	Yes	110
	VERSATILE BOOM - PAGE 84											
	6	ASBV16	4'	4'	15'	5	20"	2 GPM	60 PSI	Galvanized Steel	Yes	16

\*\*Suggested Delevan® pumps to achieve a minimum of 40 PSI

\*\*Suggested Delevan® pumps to achieve a minimum of 40 PSI

	PRODUCT CODE	SPRAY COVERAGE	NUMBER OF NOZZLES	MINIMUM PUMP REQUIREMENT	MAX PUMP PRESSURE	ROUNDUP® READY	COMPATIBLE SPRAYERS	WEIGHT (LBS)
	BOOMLESS NOZZLE KITS - PAGE 84							
7	ASBB24	24'	1	2 GPM	60 PSI	Yes	All ATV Sprayers	3
8	ASBB30	30'	2	4 GPM	60 PSI	Yes	All ATV Sprayers	5
9	ASBB24L	24'	1	2 GPM	60 PSI	Yes	All UTV Sprayers (excluding Field Boss® Sprayers)	3
10	ASBB30L	30'	2	4 GPM	60 PSI	Yes	All UTV Sprayers (excluding Field Boss® Sprayers)	5
11	ASBB30P	30'	2	4 GPM	60 PSI	Yes	All Field Boss® & Land Champ® Sprayers	5

	MODEL	HITCH SIZE	COMPATIBLE BOOMS	WEIGHT (LBS)
	RECEIVER HITCH - PAGE 84			
12	AZFRH002	1 1/4"	All Poly & Steel Booms	20
13	AZFRH001	2"	All Poly & Steel Booms	24

	PRODUCT CODE	HOSE LENGTH	HOSE SIZE	MOUNT TYPE	SPRAY GUN TYPE
	HOSE REEL - PAGE 85				
14	AHSPBGY01	-	-	Base	-
15	AHSPB100GY01	100'	3/8"	Base	CVSTAL26SH
16	AHFPBGY01	-	-	Base	-
17	AHFPB100GY01	100'	3/4"	Base	CBGHN075

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



# POLY BOOM



Field Boss® 365	Pg 53	Tow Lynx® 365	Pg 68
Field Boss® Xstream	Pg 54	Tow Lynx® Xstream	Pg 69
Field Boss® EcoLite	Pg 55	Tow Lynx® Ecolite	Pg 70
12 Volt Gold Series	Pg 56	Land Champ®	Pg 75
12 Volt Pro Series	Pg 57		



We are proud to announce this is the one and only poly boom. This robust design includes features like the hit and swing boom action. Easily attach it to the selected Enduraplas sprayers.

Featured Image (Above): 30' Poly Boom attached to a Land Champ® (ASBP30GY)



**All nozzles are always protected**

No need to worry if your boom hits a post or tree, your nozzles are safe.



**The hit and swing boom action**

Don't let those obstacles set you back from spraying near poles or trees.



**All poly booms fold for improved storage**

Fit through narrow gates when your boom is neatly folded up.



**High quality nozzles means efficiency**

Never miss a section because you have high quality *non drip* nozzles.



ASBP13GY

Spray Width	13 Feet
Specs	Page 81, Row 1



"Glad I went with the poly boom. Stout and great protection for the nozzles."

Enduraplas ASBP13GY  
Travis - USA Southwest

# STEEL BOOM



Field Boss® 365	Pg 53	Tow Lynx® 365	Pg 68
Field Boss® Xstream	Pg 54	Tow Lynx® Xstream	Pg 69
Field Boss® EcoLite	Pg 55	Tow Lynx® Ecolite	Pg 70
12 Volt Gold Series	Pg 56	Land Champ	Pg 75
12 Volt Pro Series	Pg 57		

The steel boom is perfect for extremely efficient field or acreage spraying. Utilize your UTV with boom spraying covering up to 30' in one single pass.

Featured Image (Above): 26' Steel Boom attached to a Field Boss® 365 (ASBS26SS)



**Attach to your sprayer in minutes**

With just 4 bolts, you can have your boom attached to your Enduraplas sprayer.



**Coverage that never fails**

The nozzles are designed to spray efficiently to eliminate any missing strips.



**All nozzles are completely protected**


Remove any worry of busting nozzles when hitting a still object.



**3 flexible spraying sections**


This plumbing allows you to spray left, right or center to suit your needs.

Upsize your Boom —→ 26' Extension Kit —→ 30' Extension Kit




ASBS12SS

Spray Width	13 Feet
Specs	Page 81, Row 2




ASBS20SS

Spray Width	20 Feet
Specs	Page 81, Row 3



ASBS26XKIT

Spray Width*	26 Feet
Specs	Page 81, Row 4



ASBS30XKIT

Spray Width*	30 Feet
Specs	Page 81, Row 5

\* With Extension Kit added to 20' Steel Boom



# BOOM AND NOZZLE KITS



Field Boss® 365	Pg 53	Tow Lynx® 365	Pg 68
Field Boss® Xstream	Pg 54	Tow Lynx® Xstream	Pg 69
Field Boss® EcoLite	Pg 55	Tow Lynx® Ecolite	Pg 70
12 Volt Gold Series	Pg 56	Land Champ	Pg 75
12 Volt Pro Series	Pg 57		



The versatile boom didn't get its name for nothing. With a built in 7 way selection feature, you can choose where you would like to spray with the turn of a tap.



Change where you spray

Turn each section on and off depending on your spraying application.

## Versatile Boom: 7 Way Selection



Cover up to 30' with no boom

An easy and cost effective way to spray just like you have a boom.



### ASBV16

Spray Width	15 Feet
Specs	Page 81, Row 6



### BOOMLESS NOZZLE KITS

Spray Width	24'-30'
Specs	Page 81, Row 7-11



### RECEIVER HITCH

Hitch size	1.25" - 2"
Specs	Page 81, Rows 12-13

# HOSE REELS



While the hose reel has been the most popular Enduraplas attachment, the receiver hitch is definitely on its way. The poly hose reel is unique because of its 100% poly structure.

Featured Image (Above): 50' Hose reel attached to a Field Boss® EcoLite (AHSPBGY01)



**Enjoy the built in locking system**

This feature eliminates the risk of your hose unwinding in transit.



**Easy to wind, hard to crack.**

With the poly construction, rough terrain is not a danger.



**User-friendly, time saving controls**

Quickly rewind the hose back into position with the press of a button.



**Powerful motor that will save time**

With reliable components used, downtime is significantly reduced.



AHSPBGY01

Hose Length	100'
Specs	Page 81, Row 14-15



AHFPBGY01

Hose Length	100'
Specs	Page 81, Row 16-17



AHSS03E300

Hose Size	1/2"
Hose Length	300'



# SPRAYER PARTS



TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT

# SPRAYER PARTS



	PRODUCT CODE	DESCRIPTION	USED ON	MAX FLOW (GPM)	MAX PRESSURE (PSI)	SPRAY PATTERN	ADJUSTABLE SPRAY	INLET FITTING SIZE
	SPRAY GUNS							
1	CPLF01	HEAVY DUTY SPRAY GUN	Pro Master 580, 580E, 580E2	4	800	Jet/Fan	Yes	3/8"
2	CVSTAL24	STANDARD SPRAY GUN	Gold Series ATV Sprayers	7	250	Jet/Fan	Yes	3/8"
3	CVSTAL26	DELUXE SPRAY GUN	Gold Series UTV Sprayers, Trailer Sprayers	7	350	Jet/Fan	Yes	3/8"
4	CVSTAL26SH	DELUXE SPRAY GUN	Gold Series UTV Sprayers, Trailer Sprayers	7	350	Jet/Fan	Yes	3/8"
5	CVSTAL28	TURBO JET SPRAY GUN	Field Boss Xstreme	15	700	Jet/Fan/Fog	Yes	3/8"
6	CVSTAL30	LONG RANGE SPRAY GUN	Pro Master 725	25	850	Jet/Fan/Fog	Yes	1/2"



	PRODUCT CODE	DESCRIPTION
	LIDS	
1	CFLP16HV	16" HINGED, VENTED LID
2	CA3511221	8" THREADED, VENTED LID
3	CVTL06	6" THREADED VENTED LID ONLY
4	CG839113021	4" THREADED VENTED LID ONLY



	PRODUCT CODE	DESCRIPTION
	HOSE	
1	CLUESB020001	3/8" EPDM AG 200 PSI BLACK HOSE/PER FT
2	CLUESB020002	1/2" EPDM AG 200 PSI BLACK HOSE/PER FT
3	CLUESB020004	3/4" EPDM AG 200 PSI BLACK HOSE/PER FT
4	CLUVGC02502	1/2 REINFORCED VINYL HOSE/PER FT
5	CLUESB020005	1" EPDM AG 200 PSI BLACK HOSE



CFXES04	
Includes	3 x Solenoids, Control Box with Pressure Regulator & Wiring Harness



AVPC01	
Dimensions	20"L x 15"W x 17"H
Material	Poly



# SPRAYER PARTS



	PRODUCT CODE	MAX FLOW (GPM)	MAX PRESSURE (PSI)	MAX AMPS	MOTOR TYPE	PUMP TYPE	SEAL TYPE	HOSE CONNECTION SIZE
<b>12 VOLT PUMPS</b>								
1	APD01G040P	1	40	2.6	12 VDC	Diaphragm	Viton valves/Santoprene diaphragm	3/8"
2	APD01G060P	1.2	60	4.7	12 VDC	Diaphragm	Viton valves/Santoprene diaphragm	3/8"
3	APD02G060P	2	60	5.7	12 VDC	Diaphragm	Viton valves/Santoprene diaphragm	3/8"
4	APD03G060P	3.2	60	9.9	12 VDC	Diaphragm	Viton valves/Santoprene diaphragm	1/2"
5	APD04G060P	4	60	11.3	12 VDC	Diaphragm	Viton valves/Santoprene diaphragm	1/2"
6	APD05G060P	5	60	16.3	12 VDC	Diaphragm	Viton valves/Santoprene diaphragm	1/2"
7	APD07G060PQB	7	60	25	12 VDC	Diaphragm	Viton valves/Santoprene diaphragm	1/2"
<b>GAS ENGINE PUMPS</b>								
8	CPEP001	22	57	-	GX120 Honda/4 HP	Centrifugal	Viton	In 1"/Out 3/4"
9	CPEP002	5.8	290	-	GX120 Honda/4 HP	Diaphragm	NBR	In 3/4"/Out 1/2"
10	CPEP003	11	580	-	GX200 Honda/6.5 HP	Diaphragm	NBR	In 1"/Out 2 x 1/2"
11	APVD02	18	725	-	GX390 Honda/13 HP	Diaphragm	NBR	In 1 1/4"/Out 2 x 1/2"
<b>ROLLER PUMPS</b>								
12	APD19G006R	8	300	-	PTO	6 Roller	Viton	In 3/4"/Out 3/4"
13	APD22G006R	8	300	-	PTO	Stainless Steel 6 Roller	Viton	In 3/4"/Out 3/4"

PRODUCT CODE	USED ON
CPEP001	Field Boss® 365, Tow Lynx® 365
CPEP002	Field Boss® Xstream, Tow Lynx® Xstream
CPEP003	Pro Master 580, 580E, 580E2
APVD02	Pro Master® 725

Featured Image: 250 Gallon Pro Master® 580E (SPM250FG580E)

# SPRAYER PARTS



VALVES



FITTINGS



STRAINERS & FILTERS



REGULATORS & GAUGES

To access our large range of parts and accessories, visit your local Enduraplas dealer or visit our website to download an owner's manual.



[www.enduraplasdealers.com](http://www.enduraplasdealers.com)



[www.enduraplas.com/manuals](http://www.enduraplas.com/manuals)



# DIESEL TRANSFER TANKS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



Featured Image: 100 Gallon Diesel Fuel Boss® (RDU100S10D)

# DIESEL TRANSFER TANK SPECS

	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (L X W X H)	COMPATIBLE WITH	FILL POINT	PUMP	GUN	FLOW RATE (GPM)	ELECTRIC CABLE LENGTH	HOSE LENGTH	TANK MATERIAL TYPE	DRY WEIGHT (LBS)	
	DIESEL FUEL BOSS® - PAGE 92 & 93												
	1	RDU025C10D	25	32" x 27" x 20"	Diesel	3"	Vane	Auto shut-off	10	16'	16'	Polyethylene	69
BEST SELLER	2	RDU055C10D	55	32" x 27" x 30"	Diesel	3"	Vane	Auto shut-off	10	16'	16'	Polyethylene	80
	3	RDU055S10D	55	48" x 34" x 22"	Diesel	3"	Vane	Auto shut-off	10	16'	16'	Polyethylene	80
	4	RDU075N10D	75	51" x 21" x 31"	Diesel	3"	Vane	Auto shut-off	10	16'	16'	Polyethylene	90
BEST SELLER	5	RDU100S10D	100	47" x 34" x 34"	Diesel	3"	Vane	Auto shut-off	10	16'	16'	Polyethylene	100
	6	RDU100N10D	100	51" x 21" x 38"	Diesel	3"	Vane	Auto shut-off	10	16'	16'	Polyethylene	100
	7	RDU100S15D	100	47" x 34" x 34"	Diesel	3"	Vane	Auto shut-off	15	16'	16'	Polyethylene	100

\*Warranty must be registered to activate your 10 year tank warranty. See page 111 for details.

## ACCESSORIES FOR DIESEL FUEL BOSS®

### Fuel Level Gauge



- Easily see the current diesel level in your tank

ADD 'G' TO CODE

Includes

Fuel Gage Installed

### Electric Digital Flowmeter



- Monitor your flow when refueling

ADD 'E' TO CODE

Includes

Electric Digital Flow Meter

EXAMPLES: RDU025C10D-G, RDU025C10D-E, RDU025C10D-EG

### Instructions: How to add a Fuel Level Gage and/or Electric Digital Flowmeter to a Diesel Fuel Boss®

To add a Fuel Level Gage, add '-G' to the end of any Diesel Fuel Boss® Code.

To add an Electric Digital Flowmeter, add '-E' to the end of any Diesel Fuel Boss® Code.

To add a Fuel Level Gage and Electric Digital Flowmeter, add '-EG' to the end of any Diesel Fuel Boss® Code.





# DIESEL FUEL BOSS®

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



These Diesel Fuel Boss® units are well known as the all-in-one unit. Each tank arrives assembled and ready to use. Equipped with a pump, hose and gun this diesel unit is a perfect solution for a ranch or construction site.

Featured Image (Above): 100 Gallon Diesel Fuel Boss® (RDU100S10D)



No assembly required

Each Diesel Fuel Boss® comes complete with a pump, hose and gun.



Protect your pump and components

Keep your expensive pump protected with the built-in pump cover.



Minimize downtime on site

The auto shut-off nozzle enable you to spend time on other tasks while refueling.



Easy to move it where you need it

These built-in easy lift handles allow you to load and unload your tank when required.



BEST SELLER

RDU055C10D

Capacity	55 Gallons
Specs	Page 91, Row 2



RDU075N10D

Capacity	75 Gallons
Specs	Page 91, Row 4



BEST SELLER

RDU100S10D

Capacity	100 Gallons
Specs	Page 91, Row 5

# DIESEL FUEL BOSS®




## OTHER SIZES

RDU025C10D		RDU055S10D	
Capacity	25 Gallons	Capacity	55 Gallons
Specs	Page 91, Row 1	Specs	Page 91, Row 3

RDU100N10D		RDU100S15D	
Capacity	100 Gallons	Capacity	100 Gallons
Specs	Page 91, Row 6	Specs	Page 91, Row 7

Featured Image: 100 Gallon Diesel Fuel Boss® (RDU100S10D)



"When empty, it is light enough that I can load and unload from my pickup bed. Easy to fill, and transfer fuel to my tractor. I like it much better than a metal tank permanently taking up space in the pickup bed."

Enduraplas RDU055C10D  
Dale B. - USA Southwest





TANKS & TRAILERS

SPRAY EQUIPMENT


REFUELING EQUIPMENT

FIRE EQUIPMENT



[YouTube.com/Enduraplas](https://www.youtube.com/Enduraplas)

ENDURAPLAS  
**VS**  
TOOLS



[YouTube.com/Enduraplas](https://www.youtube.com/Enduraplas)

ENDURAPLAS  
**VS**  
TRUCKS



ENGINEERED FOR ENDURANCE®





"Exploring my options, I came across this diesel fuel transfer tank. Wow.

This is a nice well made piece of equipment. The pump is rated 10 gallons per minute so you get gas station like flow out of the gas station auto shut-off quality nozzle. The filler opening is large and has a removable screen to keep contaminants out. The power cord has no problem reaching the battery under the hood and I have a four door truck with a full size bed. The tank is nearly indestructible. It will never rust or corrode. It has a drain opening if needed."

Enduraplas RDU025C10D  
Tony - USA Southwest



TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT

Featured Image: 100 Gallon Diesel Fuel Boss® (RDU100S10D)



# DEF TRANSFER TANKS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT




Featured Image: 55 Gallon DEF Fuel Boss® (REU055C09S)

# DEF TRANSFER SPECS

		PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (L X W X H)	COMPATIBLE WITH	FILL POINT	PUMP	GUN	FLOW RATE (GPM)	ELECTRIC CABLE LENGTH	HOSE LENGTH	TANK MATERIAL TYPE	DRY WEIGHT (LBS)
		DEF FUEL BOSS® - PAGE 98											
	1	REU025C09S	25	32" x 27" x 20"	DEF	3/4"	Vane	Auto shut-off	8	21'	20'	Polyethylene	74
BEST SELLER	2	REU055C09S	55	32" x 27" x 30"	DEF	3/4"	Vane	Auto shut-off	8	21'	20'	Polyethylene	85
BEST SELLER	3	REU075N09S	75	51" x 21" x 31"	DEF	3/4"	Vane	Auto shut-off	8	21'	20'	Polyethylene	95
	4	REU100S09S	100	47" x 34" x 34"	DEF	3/4"	Vane	Auto shut-off	8	21'	20'	Polyethylene	105

\*Warranty must be registered to activate your 10 year tank warranty. See page 111 for details.

Featured Image: 55 Gallon DEF Fuel Boss® (REU055C09S)



"Used it this fall for our combine, before I used 5 gallon containers. That got old fast, so I went for this 55 gallon Enduraplas system. A lot easier and faster."

Enduraplas REU055C09S  
Robert B - USA Midwest





# DEF FUEL BOSS®

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



These DEF Fuel Boss® units are manufactured with poly and stainless steel components, eliminating any chance of corrosion. Built to slide into your pickup or UTV, this dispenser is perfect for filling up large farm machinery.

Featured Image (Above): 55 Gallon DEF Fuel Boss® (REU055C09S)



**Guaranteed no corrosion from DEF**

All DEF Fuel Boss® units come with poly or stainless steel components.



**Protect your pump and components**

Keep your expensive pump protected with the built-in pump cover.



**Compact space saving design**

Don't waste useful space in your pickup or UTV.



**Easy to move it where you need it**

These built-in easy lift handles allow you to load and unload your tank when required.



**REU055C09S**

Capacity	55 Gallons
Specs	Page 97, Row 2



**REU075N09S**

Capacity	75 Gallons
Specs	Page 97, Row 3


## OTHER SIZES

### REU025C09S

Capacity	25 Gallons
Specs	Page 97, Row 1

### REU100S09S

Capacity	100 Gallons
Specs	Page 97, Row 4



"We spent a lot of time looking for a tank we could use on the farm as a transfer tank. Boy when we saw these we knew we'd struck gold. This unit fits in my pick up in front of the goose neck hitch."

Enduraplas REU075N09S  
Daryl M. - USA Midwest

Featured Image: 55 Gallon DEF Fuel Boss® (REU055C09S)

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT




# PARTS



	PRODUCT CODE	FLOW (GPM)	PUMP TYPE	SEAL TYPE	HOSE LENGTH	ELECTRIC CABLE LENGTH	HOSE CONNECTION SIZE	GUN TYPE
	<b>DIESEL PUMP KITS</b>							
1	ARDPDK01	10	Vane	NBR	16'	16'	3/4"	Auto shut-off
2	ARDPDP01	10	Vane	NBR	-	16'	3/4"	-
	<b>DEF PUMP KITS</b>							
3	CPPE002	8	Vane	NBR	20'	21'	3/4"	Auto shut-off
4	ARQPT32L12	8	Vane	NBR	-	21'	3/4"	-



	PRODUCT CODE	DESCRIPTION
	<b>AUTO SHUT-OFF GUNS</b>	
1	CENPA01	DEF Auto Shut-off Gun
2	ARDNA01	Diesel Auto Shut-off Gun



	PRODUCT CODE	DESCRIPTION
	<b>FLOWMETER &amp; FUEL LEVEL GAUGE</b>	
1	ARFD01	Diesel & DEF Flowmeter
2	ARDFG025C	25 Gallon Diesel Fuel Gauge Kit (Compact)
3	ARDFG055C	55 Gallon Diesel Fuel Gauge Kit (Compact)
4	ARDFG055S	55 Gallon Diesel Fuel Gauge Kit (Standard)
5	ARDFG075N	75 Gallon Diesel Fuel Gauge Kit (Narrow)
6	ARDFG100N	100 Gallon Diesel Fuel Gauge Kit (Narrow)
7	ARDFG100S	100 Gallon Diesel Fuel Boss®

Featured Image: DEF Auto Shut-off Gun (CENS01)

# PARTS



STAINLESS FITTINGS



HOSE



DIESEL PUMP PARTS



DEF PUMP PARTS

To access our large range of parts and accessories, visit your local Enduraplas dealer or visit our website to download an owner's manual.



[www.enduraplasdealers.com](http://www.enduraplasdealers.com)



[www.enduraplas.com/manuals](http://www.enduraplas.com/manuals)



# FIRE CONTROL SPRAYERS

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



Featured Image: 250 Gallon Fire Ranger™ (SMFF250FG120GH)

# FIRE CONTROL SPRAYER SPECS

	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (L X W X H)	MOTOR	PUMP	FLOW RATE (GPM)	PSI	FOAM TANK SIZE (GAL)	HOSE LENGTH	SPRAY DISTANCE VERTICAL	SPRAY DISTANCE HORIZONTAL	DRY WEIGHT (LBS)
--	--------------	-----------------	------------------------	-------	------	-----------------	-----	----------------------	-------------	-------------------------	---------------------------	------------------

## FIRE RANGER™ - PAGE 104 & 105

1	SMFB060FG120GH	60	48" x 38" x 23"	GX160 Honda/5.5 HP	Centrifugal	120	100	N/A	100'	35'	40'	235
2	SMFB100FG120GH	100	48" x 45" x 27"	GX160 Honda/5.5 HP	Centrifugal	120	100	N/A	100'	35'	40'	250
3	SMF200FG120GH	200	80" x 47" x 33"	GX160 Honda/5.5 HP	Centrifugal	120	100	N/A	100'	35'	40'	358
4	SMF250FG120GH	250	80" x 47" x 38"	GX160 Honda/5.5 HP	Centrifugal	120	100	N/A	100'	35'	40'	458
5	SMF300FG120GH	300	102" x 46" x 36"	GX160 Honda/5.5 HP	Centrifugal	120	100	N/A	100'	35'	40'	521
6	SMF400FG120GH	400	102" x 46" x 45"	GX160 Honda/5.5 HP	Centrifugal	120	100	N/A	100'	35'	40'	541

BEST SELLER

## FOAM RANGER™ - PAGE 106 & 107

7	SMFFB060FG120GH	60	48" x 38" x 23"	GX160 Honda/5.5 HP	Centrifugal	120	100	4	100'	33'	36'	240
8	SMFFB100FG120GH	100	48" x 45" x 27"	GX160 Honda/5.5 HP	Centrifugal	120	100	4	100'	33'	36'	255
9	SMFF200FG120GH	200	80" x 47" x 33"	GX160 Honda/5.5 HP	Centrifugal	120	100	15	100'	33'	36'	393
10	SMFF250FG120GH	250	80" x 47" x 38"	GX160 Honda/5.5 HP	Centrifugal	120	100	15	100'	33'	36'	493
11	SMFF300FG120GH	300	102" x 46" x 36"	GX160 Honda/5.5 HP	Centrifugal	120	100	15	100'	33'	36'	556
12	SMFF400FG120GH	400	102" x 46" x 45"	GX160 Honda/5.5 HP	Centrifugal	120	100	15	100'	33'	36'	576

BEST SELLER

## QUICK RESPONSE UNITS

13	SMFF120GH02	15	47" x 23" x 37"	GX160 Honda/5.5 HP	Centrifugal	120	100	15	100'	35'	40'	210
14	SMF120GH02	-	47" x 23" x 29"	GX160 Honda/5.5 HP	Centrifugal	120	100	N/A	100'	33'	36'	245

\*Warranty must be registered to activate your 10 year tank warranty. See page 111 for details.



SMFF120GH02

Capacity	15 Gallons
Specs	Page 103, Row 13



SMF120GH02

Hose Length	100'
Specs	Page 103, Row 14

## TRAILER UPGRADE KIT

FITS: All 200, 250, 300 & 400 Gallon Fire & Foam Ranger™



WSAK01

Includes Necessary framework, 2-5/16" ball hitch, safety chains, hand crank jack, axle, **fenders, lights**, tires & necessary hardware.

WSAK02

Includes Necessary framework, 2-5/16" ball hitch, safety chains, hand crank jack, axle, tires & necessary hardware.

ASSEMBLY REQUIRED





# FIRE RANGER™

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



The Fire Ranger™ is designed to be your ideal fire control unit with a very affordable price tag. It is a must for every fire department and farmer to have a backup like this included in their fire emergency plan.

Featured Image (Above): 250 Gallon Fire Ranger™ (SMFF250FG120GH)



**Load and unload much faster**

Built-in fork points make it easier to maneuver without being awkward.



**Integrated quick fill system**

Utilize the quick fill advantage to fill your tank efficiently.



**With the fire nozzle, unleash volume**

Don't be short changed by lack of water stream. Enjoy the high flow performance.




**4 x Built-in tie down points**

Secure the unit quickly and safely with purposed built tie down points.



**SMFB100FG120GH**

Capacity	100 Gallons
Specs	Page 103, Row 2



**SMF250FG120GH**

Capacity	250 Gallons
Specs	Page 103, Row 4



# FIRE RANGER™



## OTHER SIZES

SMFB060FG120GH		SMF200FG120GH	
Capacity	60 Gallons	Capacity	200 Gallons
Specs	Page 103, Row 1	Specs	Page 103, Row 3

SMF300FG120GH		SMF400FG120GH	
Capacity	300 Gallons	Capacity	400 Gallons
Specs	Page 103, Row 5	Specs	Page 103, Row 6

Featured Image: 250 Gallon Fire Ranger™ (SMFF250FG120GH)



This skid unit is GREAT! This unit arrived and was easily placed in service within one hour of arrival. The skid unit is durable and sturdy but yet light enough without water that two people were able to move it."

Enduraplas SMFF250FG120GH  
Nick M. - USA Midwest



100  
PSI

120  
GPM

Enduraplas.com





# FOAM RANGER™

TANKS & TRAILERS

SPRAY EQUIPMENT

REFUELING EQUIPMENT

FIRE EQUIPMENT



The Foam Ranger™ is the ultimate beast for suppressing your fire in record amount of time. With its use of foam it will suppress your fire up to 4 times faster than water.

Featured Image (Above): 300 Gallon Foam Ranger™ (SMFF300FG120GH)



Foam for creating long lasting fire breaks

Easily suppress and control the flames so the burning is controlled.



A special air induction nozzle included

Get the most possible from your foam while saving water.



A built in foam tank and foam gauge

Control how much foam you dispense with the twist of a knob.




Load and unload much faster

Built-in fork points make it easier to maneuver without being awkward.



SMFFB060FG120GH

Capacity	60 Gallons
Specs	Page 103, Row 7



SMFF250FG120GH

Capacity	250 Gallons
Specs	Page 103, Row 10

# FOAM RANGER™



## OTHER SIZES

SMFFB100FG120GH		SMFF200FG120GH	
Capacity	100 Gallons	Capacity	200 Gallons
Specs	Page 103, Row 8	Specs	Page 103, Row 9

SMFF300FG120GH		SMFF400FG120GH	
Capacity	300 Gallons	Capacity	400 Gallons
Specs	Page 103, Row 11	Specs	Page 103, Row 12

Featured Image: 300 Gallon Foam Ranger™ (SMFF300FG120GH)



"Great unit for a fire brush truck."

Enduraplas SMFF250FG120GH  
Rob B. - USA Midwest



100  
PSI

120  
GPM

Enduraplas.com



# ACCESSORIES & PARTS



	PRODUCT CODE	MAX FLOW (GPM)	MAX PRESSURE (PSI)	MAX AMPS	MOTOR TYPE	PUMP TYPE	SEAL TYPE	HOSE CONNECTION SIZE
<b>GAS ENGINE PUMPS</b>								
1	APAC09	120	100	-	GX160 Honda/5 HP	Centrifugal	NBR	In 2" / Out 2 x 1", 1 x 1 1/2"



	PRODUCT CODE	MAX FLOW (GPM)	MAX PRESSURE (PSI)	SPRAY PATTERN	ADJUSTABLE SPRAY	INLET FITTING SIZE
<b>FIRE NOZZLES</b>						
1	ASFFN07	50	150	Fog / Straight Stream	Yes	1-1/2" NPSH / NPT
2	CBGHN075	20	140	Fog / Straight Stream	Yes	3/4" GHT female
3	ASFFN01	8	200	Foam	No	3/4" GHT female
4	ASFFN02	15	200	Foam	No	1-1/2" NPSH / NPT



	PRODUCT CODE	DIAMETER	WEIGHT (LBS)	MATERIAL	AMOUNT NEEDED PER 100 GALLONS
<b>BALL BAFFLES</b>					
1	AVB195	7.5"	0.25	Poly	50
2	AVB355	14"	0.8	Poly	10



"With Baffle Balls, anytime you apply the brakes, you don't have the push from the water and you don't feel the slosh going back and forward in the tank. It's complete stability when driving around curves. I don't feel like there's any loss of control. There's no shakiness in the vehicle. Overall, it makes it feel like there is no water in the tank. I will never go back to a tank without baffle balls."

Enduraplas Baffles Balls  
Nick M. - USA Midwest

# PARTS



VALVES



FITTINGS



PUMP PARTS



LIDS

To access our large range of parts and accessories, visit your local Enduraplas dealer or visit our website to download an owner's manual.



[www.enduraplasdealers.com](http://www.enduraplasdealers.com)



[www.enduraplas.com/manuals](http://www.enduraplas.com/manuals)



# THE LEADER IN LIQUID MANAGEMENT



ABOVE GROUND TANKS



BELOW GROUND TANKS



TRAILERS



SPRAY EQUIPMENT



REFUELING EQUIPMENT



FIRE EQUIPMENT



WATER STORAGE TANKS

ENGINEERED FOR ENDURANCE®



# COMPANY INFORMATION

## WARRANTY

You can depend on your Enduraplas tanks and trailers to work as hard as you do, and for Enduraplas to stand behind its equipment. We now offer an industry leading warranty because we can.

	Standard Warranty	Extended Warranty
<b>Tanks</b>	<b>5 Years</b>	<b>*10 Years</b>
<b>Trailer Frames</b>	<b>1 Year</b>	-
<b>Parts &amp; Accessories</b>	<b>**1 Year</b>	-

\*Double your tank warranty by completing your warranty registration. Please contact your dealer for complete terms & conditions.

\*\*Unless expressly stated that they have an extended original manufacturer warranty.

## THE BRAND

The name Enduraplas® originated in 2003. Since then, the brand has spread quickly throughout USA and Canada to a point where it is a common name heard in the agriculture industry. Products with the Enduraplas® brand are recognized as high quality and premium in the markets we serve.

The following are registered (®) or unregistered (™) trademarks of Enduraplas LLC:

Enduraplas®, Engineered for Endurance®, Pickup King™, STRONG-X™, RIBBED-WALL™, THICK-WALL™, ANCHOR-POINT™, SINGLE-PIECE™, AUTO-DRAIN™, LIFTING-LUGS™, PIN-MOUNT™, ANTI-SPLASH™, Field Boss® 365, Field Boss® Xstream, Field Boss® EcoLite, Pro Master® 580, Pro Master® 580E, Pro Master® 580E2, Pro Master® 725, Tow Lynx® 365, Tow Lynx® Xstream, Tow Lynx® EcoLite, Land Champ®, Spot Chief®, Diesel Fuel Boss®, DEF Fuel Boss®, Fire Ranger™, Foam Ranger™

## LEGAL NOTICE

Enduraplas reserves the right to change specifications, design and price of the products described in this literature without notice. Images used in this literature are pictured for display purposes only. Warranty of all products is only applicable when the product is used in accord with the operator's manual. Improper use of any tank, trailer or accessory may cause serious or fatal injury. Read, understand and follow carefully the operator's manual before using these products.

## FREIGHT

Contact your local dealer to learn the exact freight charges in your area. To find your closest dealer, visit [EnduraplasDealers.com](http://EnduraplasDealers.com).



# #EngineeredforEndurance

SHARE YOUR ENDURAPLAS SET-UP



## CONTACT YOUR DEALER

Dealer Details Here:

**Enduraplas®**

113 1st Street  
Neché, ND 58265  
USA

2820 Farm to  
Market 1516  
Converse, TX 78109  
USA

1 (877) 877-4370  
Info@enduraplas.com

To find a dealer: [enduraplasdealers.com](http://enduraplasdealers.com)  
For product information: [enduraplas.com](http://enduraplas.com)

**Engineered for Endurance**

